

SHARK Cleaning Equipment 2015



Cleaning Products for the Rental Industry

Floor Care
Pressure Washers
Drain Cleaning Jetters
In-Shop Cleaning Products
Parts Washers



Shark offers over 100 commercial-grade, hot & cold water pressure washers, trailers and jetters that are built to last, yet affordably priced

Shark's reputation for ruggedness and safety is the result of more than 80 years of combined expertise fostered within the largest manufacturer of industrial pressure washers in North America.

The engineering and craftsmanship of the Shark pressure washer line are renowned thanks to the equipment's simple design, durability from oversized components and many safety features. Among the most recent improvements is advanced U-Seal technology in all high-pressure Shark pumps (photo above).



Over 100 models of Shark pressure washers are backed by the strongest warranty in the cleaning equipment industry, including a 7-year limited warranty on the Shark crankcase pump. Most models meet CETA performance-certified standards. Also most models are certified by Intertek Testing Services (ETL) to the rigid UL-1776 and CSA safety standards for high-pressure cleaning equipment.



Plus, all Shark production plants are ISO 9001 and 14001 certified.

COLD WATER | 60 MODELS | GAS OR ELECTRIC POWERED | PORTABLE OR STATIONARY

6 Reasons: Why Shark cold water pressure washers are top value



- 1 Durable, triplex, oil-bath, high-pressure Shark pump, with three ceramic pistons and forged brass manifold, backed by a 7-year limited warranty*
- 2 Rugged chassis is made of 10-gauge steel and painted with black wrinkle paint for all-weather resistance; chrome handles are now standard
- 3 Belt-drive units have notched V-belts and cast-iron pulleys to reduce belt slippage and extend pump life; plus easy-to-adjust belt tension with a single bolt
- 4 Reliable Honda engine on most models with a three-year limited warranty plus low-oil alert and silent-tone muffler
- 5 Safety thermal pump saver valve protects against hot-water damage by venting recirculated water
- 6 Pumps featuring our U-Seal Technology provide longer life than competitors' pumps for lower cost-of-ownership

**7-year limited warranty on crankcase pumps only.*

HOT WATER | OVER 60 MODELS | GAS OR ELECTRIC POWERED | PORTABLE OR STATIONARY

6 Reasons: Why Shark hot water models are #1 in North America



- 1 Durable hot water coil made of 1/2-inch, Schedule 80 steel pipe and cold rolled for years of leak-free operation; with easy coil access design
- 2 Totally enclosed control panel with automatic thermostat, hour meter and burner on/off switch
- 3 Rugged, triplex, oil-bath, high-pressure Shark pump, with three ceramic pistons and forged brass manifold, backed by a 7-year limited warranty
- 4 Four vibration isolators mounted under the engine reduce vibration and wear and tear on components
- 5 All-steel chassis and frame with lifting point; painted with black wrinkle paint for all-weather protection
- 6 Shark ClearFlame burner exclusively designed for pressure washers



NOTE: There are many parts and accessories we sell which are not included in the catalog. Should you need an item or part not included in the catalog, call Shark at 800-771-1881. Our parts warehouse has more than 40,000 different replacement parts and accessories in stock or ready to order when you need them most. www.SharkPW.com

Features Key:



Intertek
Listed



Cleaning Eqt.
Trade Assoc.
Performance
Certified



Warranty
Terms



National Assoc.
of Trailer
Manufacturers
Approved



Powered by
Honda



Includes
U-Seal
Technology



Includes
quality
Shark Pump

TABLE OF CONTENTS

Pressure Washers- Shark

● Cold Water	4-9
● Hot Water	10-16
● Trailers	17-20
● Specials	21-23
● Jetters	24-25
● Drain Augers	26
● Accessories	27-41
● Nozzle Chart	37
● Accessories Rack	38-39
● Detergents/ Gum Removal	40-41
● Disaster Restoration	42

Floor Care- Windsor Karcher Group

● Chariots	43-44
● Extractors	45
● Vacuums	46
● Wet/Dry Vacs	47
● Chemicals	48
● Sweepers / Scrubbers	49
● Floor Machines / Burnishers	50-51
● Industrial	52-53

Water Treatment

● Water Treatment	54
● Wash Pads	55

RG SERIES: Residential-grade models offer economical alternative



Features

- Durable steel frame
- Portable, easy to transport
- Integrated chemical injection
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM*	PSI*	Engine	CC	Pump	Ship Wt	List Price
RG-232637*	1.107-235.0	2.3	2600	Honda GCV160	160	Axial	78 lbs	\$ 711
RG-253037	1.107-236.0	2.5	3000	Honda GC190	187	Axial	77 lbs	\$ 807
RG-364037	1.107-237.0	3.6	4000	Honda GX390	389	Axial	144 lbs	\$1,935

* Vertical shaft pump

* Performance certified to PWMA standard +/- 20% of advertised specifications

Dimensions: RG-232637: 21"L x 23"W x 31"H;

RG-253037: 22"L x 23"W x 35"H;

RG-364037: 37"L x 24"W x 31"H

KG SERIES: Professional performance with German-engineered technology



Features

- Honda engines
- Commercial-duty axial pump with 5-year limited warranty
- Reinforced upright steel frame
- Unmatched value
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Engine	CC	Pump	Ship Wt	List Price
KG-252437	1.107-238.0	2.5	2400	Honda GC160	160	Axial	115 lbs	\$ 919
KG-262637	1.107-239.0	2.6	2600	Honda GC190	187	Axial	115 lbs	\$ 971
KG-313137*	1.107-240.0	3.0	3000	Honda GX270	270	Axial	175 lbs	\$1,876
KG-403637*	1.107-241.0	4.0	3600	Honda GX390	389	Axial	181 lbs	\$2,154

* KG-313137 & KG-403637 come standard with a 100 ft. hose reel, 50' hose included

Dimensions: 22"L x 23"W x 35"H (42"H with hose reel)

Hammerhead (DD) SERIES: Commercial-grade, value-priced, high quality



DD-383537



DD-232336 & DD-232337



DD-252737

Features

- Steel frame with powder coat finish
- Honda GC and GX engines
- Industrial direct-drive crankcase pump on DD-252737, DD-383537 & DD-354037
- Downstream detergent injection
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Engine	CC	Pump	Ship Wt	List Price
DD-232337	1.107-135.0	2.3	2300	Honda GC160	160	Axial	72 lbs	\$ 710
DD-232336	1.107-134.0	2.3	2300	Honda GC160	160	Comet BXD	73 lbs	\$ 798
DD-252737	1.107-136.0	2.5	2700	Honda GX200	196	SG Crankcase	99 lbs	\$1,259
DD-383537	1.107-137.0	3.8	3500	Honda GX390	389	SS Crankcase	132 lbs	\$1,829
DD-354037	1.107-221.0	3.5	4000	Honda GX390	389	SS Crankcase	166 lbs	\$1,829

Dimensions: DD-232337, DD-232336, & DD-252737: 23"L x 22"W x 25"H;

DD-383537 & DD-354037: 36.5"L x 23.5"W x 30.5"H

PALLET PRICING

ORDER NO.	DESCRIPTION	LIST PRICE
8.919-843.0	Pallet of 8 DD-232337	\$5,525
8.919-844.0	Pallet of 8 DD-232336	\$6,199
8.919-845.0	Pallet of 8 DD-252737	\$9,769
8.919-850.0	Pallet of 2 DD-383537	\$3,549
8.921-613.0	Pallet of 2 DD-354037	\$3,549

MIXED PALLET COMBINATIONS

ORDER NO.	DESCRIPTION	LIST PRICE
8.919-846.0	QTY 5 DD-232337 and QTY 3 DD-252737	\$7,100
8.919-847.0	QTY 5 DD-232336 and QTY 3 DD-252737	\$7,529



5-year limited warranty on Comet BXD and Axial pumps



7-year limited warranty applies to crankcase pumps only

CD SERIES: Lightweight, hand-held models



Features

- Durable steel frame
- Axial or crankcase pump
- Easy to transport
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Engine	CC	Pump	Ship Wt	List Price
CD-232336	1.107-153.0	2.3	2300	Honda GC160	160	Axial**	70 lbs	\$ 799
CD-232437	1.107-152.0	2.3	2400	Honda GX160	196	SG Crankcase*	80 lbs	\$1,299

Dimensions: 16"L x 24"W x 22"H

* SG Pump comes with 7-year limited warranty

**Axial pump comes with a 5-year limited warranty

DG SERIES: Compact industrial-grade- our most popular direct-drive cold water unit



DG: Gasoline-powered, direct-drive



DG-354037

Features

- Chrome handles
- Steel frame with powder coat finish
- Honda GX engine
- Shark industrial direct-drive crankcase pump w/ U-Seal technology
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Engine	CC	Pump	Ship Wt	List Price
DG-232437	1.107-138.0	2.3	2400	Honda GX160	163	SG Crankcase	148 lbs	\$1,579
DG-252737	1.107-139.0	2.5	2700	Honda GX200	196	SG Crankcase	155 lbs	\$1,799
DG-303037	1.107-140.0	3.0	3000	Honda GX270	270	SG Crankcase	175 lbs	\$1,979
DG-383537	1.107-141.0	3.8	3500	Honda GX390	389	SS Crankcase	180 lbs	\$2,329
DG-354037	1.107-225.0	3.5	4000	Honda GX390	389	SS Crankcase	179 lbs	\$2,329

Dimensions: 35"L x 21"W x 24"H

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE
9.801-026.0	E-Z Hose Reel Kit, 100 ft.	\$245.00

Aluminum (DGA) SERIES: Easy to maneuver, direct-drive, aluminum construction



Features

- Weldless aluminum frame of 1/4" tubing for maximum durability
- Honda GX engine
- Fold-down handle for easy storage
- Durable, corrosion-free finish
- Pump support bracket prolongs engine life
- Shark Industrial direct-drive crankcase pump w/ U-Seal technology
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Engine	CC	Pump	Ship Wt	List Price
DGA-252737	1.106-054.0	2.5	2700	Honda GX200	196	SG Crankcase	125 lbs	\$1,799
DGA-303037	1.106-055.0	3.0	3000	Honda GX270	270	SG Crankcase	148 lbs	\$2,219
DGA-383537	1.106-056.0	3.8	3500	Honda GX390	389	SS Crankcase	172 lbs	\$2,449
DGA-354037	1.107-229.0	3.5	4000	Honda GX390	389	SS Crankcase	167 lbs	\$2,479

Dimensions: DGA: 41"L x 23"W x 40"H

BG SERIES: Rugged, belt-drive cold water built to work hard and last long



Shown with optional hose reel

Features

- Chrome handles
- Powder coated steel chassis
- Honda GX engine
- High water volume
- Shark Industrial belt-drive crankcase pump w/ U-Seal technology
- ETL Safety Certified



Model	Order No.	GPM	PSI	Engine	CC	Pump	Ship Wt	List Price
BG-282037*	1.107-142.0	2.8	2000	Honda GX160	163	SD Crankcase	155 lbs	\$2,119
BG-252737*	1.107-143.0	2.5	2700	Honda GX200	196	SD Crankcase	163 lbs	\$2,319
BG-303037	1.107-144.0	3.0	3000	Honda GX270	270	SD Crankcase	225 lbs	\$2,819
BG-373537	1.107-145.0	3.7	3500	Honda GX390	389	SM Crankcase	250 lbs	\$3,119
BG-304037	1.107-146.0	3.0	4000	Honda GX390	389	SM Crankcase	250 lbs	\$3,263

Dimensions: *BG-282037, BG-252737: 37"L x 21"W x 24"H; OTHERS: 45"L x 26"W x 24"H

*Compact frame

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE
9.801-025.0	E-Z Hose Reel Kit, 100 ft.	\$266.00

Note: Hose not included with hose reel kit

Aluminum (BGA) SERIES: Easy to maneuver, belt-drive, aluminum construction



Features

- Weldless aluminum frame of 1/4" tubing for maximum durability
- Honda GX engine
- Fold-down handle for easy storage
- Pump support bracket prolongs engine life
- Shark Industrial belt-drive crankcase pump w/ U-Seal technology
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Engine	CC	Pump	Ship Wt	List Price
BGA-252737	1.106-057.0	2.5	2700	Honda GX200	196	SD Crankcase	196 lbs	\$2,379
BGA-373537	1.106-058.0	3.7	3500	Honda GX390	389	SM Crankcase	249 lbs	\$2,859

Dimensions: BGA: 41"L x 23"W x 40"H

BR SERIES: Extra-rugged belt-drive cold water with cleaning power of up to 5000 PSI



Features

- Rugged steel chassis & roll cage
- Electric start on dual-axle models
- Certified to UL and CSA pressure washer safety standard
- Shark Industrial crankcase pump w/ U-Seal technology



Model	Order No.	GPM	PSI	Engine	CC	Fuel	Pump	Axles	Ship Wt	List Price
BR-373537	1.107-150.0	3.7	3500	Honda GX390	389	Gas	SM Crankcase	1	350 lbs	\$3,399
BR-404027	1.107-151.0	4.0	4000	Vanguard 16	479	Gas	SM Crankcase	2	470 lbs	\$5,399
BR-405037E	1.107-147.0	4.0	5000	Honda GX630	688E*	Gas	SX Crankcase	2	495 lbs	\$6,299
BR-455037E	1.107-148.0	4.5	5000	Honda GX660	688E*	Gas	SX Crankcase	2	500 lbs	\$7,249
BR-343087E	1.107-149.0	3.4	3000	Kohler KD420	442E*	Diesel	SM Crankcase	2	410 lbs	\$6,149

Dimensions: Single Axle: 42"L x 26"W x 30"H; Double Axle: 42"L x 26"W x 36"H

*E = Electric Start; Battery not included

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE	PART NO.	DESCRIPTION	LIST PRICE
9.801-028.0	E-Z Hose Reel Kit, 100 ft., single axle	\$280.00	9.801-029.0	Hose Reel Kit, 100 ft., 5000 psi, double axle	\$389.00

Note: Hose not included with hose reel kit

GMS Gator Buddy: Cold Water, Gas Powered, Direct-Drive Skid



The Gator Buddy is the perfect solution when cleaning in remote areas. Its compact, self-contained design fits well inside the bed of most pickup trucks as well as many popular utility all-terrain ATVs on the market today. The unit comes standard with Shark's trusted direct-driven pump with 7-year warranty, as well as optional features such as rubber pad feet to absorb vibration.

Features

- Subaru 169 CC engine
- Direct Drive high-pressure pump
- 65-gallon water tank
- Ships with hose reel
- All steel frame
- Convenient forklift openings
- Recoil start
- Easy serviceability



Model	Order No.	GPM	PSI	CC	Engine	Pump	Ship Wt	List Price
GMS-252717	1.107-230.0	2.5	2700	169	Subaru EX17	SG Crankcase	488 lbs.	\$3396

Dimensions: 40"L x 48"W x 35 "H

*Includes 65-gallon tank

OPTIONS

PART NO.	DESCRIPTION	LIST PRICE	PART NO.	DESCRIPTION	LIST PRICE
8.923-105.0	Rubber Foot Kit	\$12.00	8.923-107.0	Inline Filter Kit	\$29.00
8.923-106.0	Lifting Eye Kit	\$58.00	8.923-108.0	3 Way Valve Kit	\$40.00

DE SERIES: Electric-powered units have zero emissions– ideal for indoor cleaning

Features

- Chrome handles
- Steel frame and chassis protected by powder coat finish
- Heavy-duty industrial Baldor motor
- Direct-drive Shark crankcase pump
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt	List Price
DE-201007D	1.106-061.0	2.0	1000	1.5	120V / 1ph	15	SE Crankcase	140 lbs	\$1,579
DE-201507D	1.106-062.0	1.9	1300	2	120V / 1ph	20	SE Crankcase	150 lbs	\$1,669
DE-301007D	1.106-063.0	2.8	1000	2	120V / 1ph	20	SE Crankcase	150 lbs	\$1,659
DE-352007A	1.106-064.0	3.5	2000	5	230V / 1ph	22	SE Crankcase	167 lbs	\$2,039

Dimensions: 35"L x 21"W x 24"H

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE
9.801-027.0	E-Z Hose Reel Kit, 100 ft.	\$274.00

Note: Hose not included with hose reel kit

HE SERIES: Lightweight, hand-held models

Features

- Durable steel frame
- Comet axial pump
- Easy to transport
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt	List Price
HE-201006D	1.106-065.0	2.0	1000	1.5	120V / 1ph	15	Comet Axial	80 lbs	\$ 959
HE-201406D	1.106-066.0	1.8	1400	2	120V / 1ph	20	Comet Axial	95 lbs	\$1,039

Dimensions: 16"L x 24"W x 22"H

*Comet AXD pump comes with a 1-year limited warranty

HD SERIES: European-style models offer ergonomic design and total trigger shutoff



HD-2.3/15 C Ed

HD-2.3/14 C Ed

Features

- Compact, ergonomic design
- Low-pressure soap injection system
- Auto start/stop
- Triple changeover nozzle
- Certified to UL and CSA pressure washer safety standard
- Industrial-grade pump



Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt	List Price
HD-1.8/13 C Ed	1.514-136.0	1.8	1300	2.7	120V / 1ph	15	Axial	65 lbs	\$1,158
HD-2.3/15 C Ed	1.150-626.0	1.1 - 2.3	300-1500	3.2	120V / 1ph	20	Axial	75 lbs	\$1,566
HD-3.0/20 C Ea	1.150-625.0	1.1 - 3	300-2000	5.2	230V / 1ph	20	Axial	68 lbs	\$1,632
HD-2.3/14 C Ed*	1.150-629.0	1.1 - 2.3	300-1400	3.2	120V / 1ph	20	Axial	75 lbs	\$2,152

Dimensions: 15"L x 14"W x 37"H

*Designed for food service or kitchen applications because it accepts hot water of up to 180°F
(Previously sold as KE Series)

HE+: Wall mount unit, great for wash bays



Features

- Durable steel frame
- Shark Industrial crankcase pump w/ U-Seal technology
- Auto start/stop
- Remote on/off switch
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt	List Price
HE-201407D+	1.106-067.0	1.8	1400	2	120V / 1ph	20	SE Crankcase	120 lbs	\$1,759

Dimensions: 16"L x 24"W x 22"H

OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.920-952.0	Wall mount bracket	\$230.00



HE+: Electric-powered with optional wall mount bracket: 8.920-952.0

Wall mount units are perfect for wash bay applications, such as:

- Outdoor Power & Equipment
- Garages
- Repair Shops

BRE SERIES: Electric-driven 5 GPM at 5000 PSI cold-water blasters - Belt-Drive



Features

- Rugged steel chassis & roll cage
- Belt-drive Shark crankcase pump
- 20 HP Baldor motor
- 13" tubed pneumatic tires
- Certified to UL and CSA pressure washer safety stand



Model	Order No.	GPM	PSI	Motor HP	Electrical	Amps	Pump	Ship Wt	List Price
BRE-505007B	1.106-060.0	5	5000	20	230V / 3ph	48	SX Crankcase	480 lbs	\$7,300
BRE-505007C	1.106-059.0	5	5000	20	460V / 3ph	26	SX Crankcase	480 lbs	\$7,300

Dimensions: 42"L x 26"W x 30"H

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE
9.801-029.0	Hose Reel Kit, 100 ft., 5000 psi	\$389.00

Note: Hose not included with hose reel kit

CB SERIES: Electric-powered cabinet unit ideal for indoor wash bays



CB: Electric-powered, belt-drive

Features

- Accepts hot water up to 180°F
- Powder coated steel cabinets
- Downstream injector
- Certified to UL and CSA pressure washer safety standard
- Shark belt-drive pump w/ 7-yr limited warranty



Model	Order No.	GPM	PSI	HP	Electrical	Amps	Pump	Ship Wt	List Price
CB-301007D	1.106-551.0	2.8	1000	2	120V / 1ph	20	SD Crankcase	210 lbs	\$2,599
CB-402007A	1.106-552.0	4.2	2000	6	230V / 1ph	29	SM Crankcase	285 lbs	\$3,449
CB-402007B	1.106-553.0	4.2	2000	6	230V / 3ph	19	SM Crankcase	255 lbs	\$3,149
CB-402007C	1.106-554.0	4.2	2000	6	460V / 3ph	11	SM Crankcase	260 lbs	\$3,149
CB-402007H	1.106-555.0	4.2	2000	6	208V / 3ph	16	SM Crankcase	265 lbs	\$3,149
CB-353007A	1.106-556.0	3.5	3000	7.5	230V / 1ph	36	SM Crankcase	330 lbs	\$4,599
CB-353007B	1.106-557.0	3.5	3000	7.5	230V / 3ph	19	SM Crankcase	275 lbs	\$3,569
CB-353007C	1.106-558.0	3.5	3000	7.5	460V / 3ph	11	SM Crankcase	270 lbs	\$3,569
CB-353007G	1.106-559.0	3.5	3000	7.5	208V / 1ph	38	SM Crankcase	332 lbs	\$4,929
CB-353007H	1.106-560.0	3.5	3000	7.5	208V / 3ph	23	SM Crankcase	271 lbs	\$3,669
CB-353007F	TBA	3.5	3000	7.5	575V / 3ph	23	SM Crankcase	271 lbs	CALL

Dimensions: 26"L x 20"W x 16"H

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE	PART NO.	DESCRIPTION	LIST PRICE
9.801-002.0*	Conversion to Stainless Steel Cabinet & Cover	\$517	8.903-040.0	Floor Stand, 24" Tall	\$261
9.801-011.0*	Auto Start Stop	\$323	9.801-034.0	Floor Stand, 36" Tall	\$280.00
9.801-012.0*	Time-Delay Shutdown	\$323	8.903-617.0	Stainless Steel Floor Stand, 36" Tall	\$646.00
9.801-013.0*	Hour Meter	\$64	9.801-035.0	Caster Wheels for Floor Stand	\$285.00
9.801-031.0	Wheel Kit with Detergent Rack	\$386	9.801-036.0	Hose Reel Kit, Floor Stand Only, 100 ft.**	\$413.00
9.801-033.0	Wall Mount Kit	\$146.00	8.903-521.0	Hose Reel, For Wheel Kit, 100 ft.**	\$231.00
8.903-043.0	Stainless Steel Wall Mount Kit	\$257.00	9.802-265.0	Hose Reel Kit (Cox), Wall Mount, 100 ft.**	\$310.00
8.941-546.0	Stainless Steel Floor Stand, No Bracket	\$758.00	8.903-039.0	Hose Reel Kit w/ Bracket for Stand, Wall Mount Kits, 100 ft.**	\$406.00

* Factory installed only

**Hose not included



Wheel Kit with detergent rack and optional hose reel



Stainless steel unit shown on floor stand with caster wheels

SGP SERIES: Portable, self-contained hot water pressure washer—our #1 seller



SGP-302517:
Compact design, Gas-powered,
diesel/oil-heated



SGP Full-Size Cage Design:
Gas-powered, diesel/oil-heated

Features

- Shark Direct-drive crankcase pump
- Stainless steel coil wrap standard
- Rugged frame with powder coat finish
- Tubed pneumatic tires
- 1/2" Schedule 80 heating coil
- New high-efficiency **Shark ClearFlame** burner
- Hour meter comes standard
- Certified to UL and CSA pressure washer safety standard
- Tamper-proof RPM control



Model	Order No.	GPM	PSI	Engine	CC	Start	Pump	Burner	BTUs	Ship Wt	List Price
SGP-302517	1.110-059.0	2.7	2400	Subaru EX21	211	Recoil	SG Crankcase	12V DC	252,000	400 lbs	\$5,329
SGP-303037	1.110-054.0	2.6	3000	Honda GX270	270	Recoil	SG Crankcase	12V DC	243,000	500 lbs	\$6,379
SGP-353037	1.110-055.0	3.5	3000	Honda GX340	389	Recoil	SS Crankcase	12V DC	326,000	550 lbs	\$6,679
SGP-353037E	1.110-056.0	3.5	3000	Honda GX340	389E*	Electric	SS Crankcase	12V DC	326,000	560 lbs	\$7,249
SGP-403537E	1.110-057.0	3.5	3500	Honda GX390	389E*	Electric	SS Crankcase	12V DC	326,000	595 lbs	\$7,625

Dimensions: Full-size 46"L x 28"W x 44"H • Compact 39"L x 28"W x 42"H

*E = Electric start engine; Battery included on SGP-403537E only

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE
9.801-024.0	E-Z Hose Reel Kit, 100 ft.	\$221.00
9.804-570.0	Hose Reel Kit, Pivot, 100 ft.	\$568.00

Note: Hose not included with hose reel kit

SSG SERIES: Our most rugged hot model designed for continuous, on-site performance



Features

- New high-efficiency **Shark ClearFlame** burner
- Shark Belt-drive tri-plunger crankcase U-seal pump
- 1/2" Schedule 80 heating coil
- Stainless steel coil wrap
- Power generator on four models
- High-pressure upstream soap injector
- Steam combination comes standard
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	Engine	CC	Fuel	Pump	Burner	BTUs	Ship Wt	List Price
SSG-403037E	1.110-579.0	3.9	3000	Honda GX390	389E*	Gas	ST Crankcase	12V DC	364,000	805 lbs	\$ 8,126
SSG-503027E	1.110-580.0	4.8	3000	Vanguard 16	479E*	Gas	ST Crankcase	12V DC	448,000	854 lbs	\$ 8,868
SSG-503027E/G	1.110-581.0	4.8	3000	Vanguard 16	479E*	Gas	ST Crankcase	120V AC	448,000	945 lbs	\$ 9,537
SSG-503537E	1.110-582.0	4.7	3500	Honda GX630	688E*	Gas	ST Crankcase	12V DC	439,000	855 lbs	\$ 9,594
SSG-503537E/G	1.110-583.0	4.7	3500	Honda GX630	688E*	Gas	ST Crankcase	120V AC	439,000	905 lbs	\$10,874
SSG-603537E	1.110-584.0	5.6	3500	Honda GX660	688E*	Gas	ST Crankcase	12V DC	523,000	852 lbs	\$10,394
SSG-603537E/G	1.110-585.0	5.6	3500	Honda GX660	688E*	Gas	ST Crankcase	120V AC	523,000	970 lbs	\$11,534
SSD-603567E	1.110-586.0	5.6	3500	Kohler KDW1003	1028E*	Diesel	ST Crankcase	12V DC	523,000	1200 lbs	\$17,458
SSD-603567E/G	1.110-587.0	5.6	3500	Kohler KDW1003	1028E*	Diesel	ST Crankcase	120V AC	523,000	1315 lbs	\$18,264

Machine Dimensions: Gas-powered 41"L x 41"W x 41"H; Diesel-powered 44"L x 51"W x 41"H

*E = Electric start engine; battery not included

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE
9.801-003.0	Wheel Kit Assembly*	\$487.00
8.903-430.0	Stackless Flue Adapter	\$168.00
8.904-051.0	Battery Installed (688cc models only)**	\$587.00

*Gas-engine models only

**Factory Installed



Shown with optional wheel kit
(Only available on SSG Series)

STP SERIES: Electric-powered hot water pressure washer is compact and portable



Features

- Direct-drive Shark crankcase pumps
- Stainless steel coil wrap standard
- Oil-water separation fuel filter and hour meter
- 1/2" Schedule 80 heating coil
- 1725 RPM motors on 1.5-2 HP models
- Certified to UL and CSA pressure washer safety standard
- New high-efficiency **Shark ClearFlame** burner



Model	Order No.	GPM	PSI	HP	Electrical	Amps	Pump	BTUs	Ship Wt	List Price
STP-231007D	1.109-101.0	2.1	1000	1.5	120V / 1 ph	15	SE Crankcase	196,000	480 lbs	\$4,347
STP-201507D	1.109-102.0	1.9	1500	2	120V / 1 ph	20	SE Crankcase	177,000	480 lbs	\$4,404
STP-352007A	1.109-103.0	3.5	2000	5	230V / 1 ph	22	SE Crankcase	326,000	500 lbs	\$5,166

Dimensions: 39"L x 27"W x 44"H

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE	PART NO.	DESCRIPTION	LIST PRICE
9.801-024.0	E-Z Hose Reel Kit, 100 ft.	\$221.00	9.804-570.0	Hose Reel Kit, Pivot, 100 ft.	\$568.00

Note: Hose not included with hose reel kit

HPB SERIES: Handtruck-style hot water series offers ruggedness and affordability



Features

- Available in 230V, 460V or 575V
- Belt-drive crankcase pump with U-Seal technology
- 1/2" Schedule 80 heating coil
- Stainless steel coil wrap standard
- **Shark ClearFlame** burner
- Fuel filter / water separator comes standard
- Front caster wheels for easy maneuvering
- Certified to UL and CSA pressure washer safety standard



Model	Order No.	GPM	PSI	HP	Electrical	Amps	Drive	Pump	BTUs	Ship Wt	List Price
HPB-392007A	1.109-109.0	3.9	2000	6	230V / 1 ph	29	Belt	SM Crankcase	364,000	660 lbs	\$6,816
HPB-353007A	1.109-110.0	3.5	3000	7.5	230V / 1 ph	36	Belt	SM Crankcase	327,000	690 lbs	\$7,435
HPB-353007B	1.109-111.0	3.5	3000	7.5	230V / 3 ph	25	Belt	SM Crankcase	327,000	605 lbs	\$6,732
HPB-353007C	1.109-112.0	3.5	3000	7.5	460V / 3 ph	13	Belt	SM Crankcase	327,000	605 lbs	\$6,908
HPB-353007F	TBA	3.5	3000	7.5	575V / 3 ph	13	Belt	SM Crankcase	327,000	605 lbs	CALL

Dimensions: 41"L x 32"W x 44"H

OPTIONS [Factory Installed]

9.801-007.0	Hour Meter	\$64.60	9.804-515.0	Steam Combination (6-7 HP, if w/ float tank)	\$191.00
9.801-008.0	Float Tank (6 - 7.5 HP units, with soap valve)	\$403	9.801-009.0	Steam Combination (6-7 HP, if no float tank)	\$147.00
9.801-006.0	Auto Start/Stop (6 - 7.5 HP models)*	\$323	9.801-001.0	Time Delay Shutdown (6 - 7.5 HP models)*	\$323.00
9.804-512.0	Auto Start/Stop & Steam Combo (6 - 7.5 HP)*	\$539	9.801-023.0	E-Z Hose Reel Kit, 100 ft.; no hose**	\$249.00
9.804-513.0	Auto Start/Stop & Float Tank (6 - 7.5 HP)*	\$874	* Time Delay Shutdown and Auto Start/Stop are mutually exclusive		
9.804-514.0	Auto Start/Stop, Steam & Float Tank (6 - 7.5 HP)*	\$1,045	** Field installed only		

SSE SERIES: Rugged electric-powered skid offers affordable alternative to gasoline



Features

- Rugged steel frame with shock-mounted sub-frame to reduce vibration
- 1/2" Schedule 80 heating coil
- Shark Industrial crankcase pump w/ U-Seal
- Nema 4x electrical box
- Certified to UL and CSA pressure washer safety standard
- **Shark ClearFlame** burner



Model	Order No.	GPM	PSI	HP	Electrical	Amps	Drive	Pump	BTUs	Ship Wt	List Price
SSE-503007A	1.575-620.0	4.8	3000	10	230V / 1 ph	45	Belt	ST Crankcase	446,000	900 lbs	\$11,260
SSE-503007B	1.575-621.0	4.8	3000	10	230V / 3 ph	30	Belt	ST Crankcase	446,000	830 lbs	\$9,050
SSE-503007C	1.575-622.0	4.8	3000	10	460V / 3 ph	16	Belt	ST Crankcase	446,000	820 lbs	\$9,050
SSE-503007F	TBA	4.8	3000	10	575V / 3 ph	16	Belt	ST Crankcase	446,000	820 lbs	CALL

OPTIONS [Field Installed]

PART NO.	DESCRIPTION	LIST PRICE
9.801-003.0	Wheel Kit Assembly	\$487.00
8.903-430.0	Stackless Flue Adapter	\$168.00


Dimensions: 41"L x 41"W x 41"H

SNG/SLP SERIES: Best pressure washers for maintenance shops and wash bays



Large Model
6-10 GPM

Standard Model
3.5-5 GPM



Easy, Versatile Installation:

- Utility hook ups can be configured for both sides of the machine
- Totally enclosed cabinet to protect vital components
- Many Voltage options
- Steam option
- "Filder's Choice" inlet / outlet (hook up gas and water on either side of machine) provides flexibility with installation
- Ambient temp rise of 140° (can be higher with draft dampener)

Easy To Use and Operate:

- Simple 24-volt controls
- Feedback lights allow user to quickly troubleshoot potential problems
- Overload protected control switches are conveniently located for ease of operation
- Hour meter and variable temperature control
- Infinite detergent metering
- Safety trigger gun control
- Electronic ignition comes standard, eliminating the hassle of lighting the pilot light
- Fully enclosed cabinet with "Cool Wall" construction keeps cabinet cool to the touch

Easy To Service:


- 6 removable panels allow easy access to components for service and repair
- "Slide Out" motor platform and "Swing Out" burner ring are easy to inspect and repair
- "Stay In Place" pilot assembly is not attached to burner ring, making it easier to inspect and repair

Safety Certified:


- ETL certified to strict UL-1776 and CSA pressure washer safety standards
- CETA certified for performance +/- 5% of specs listed
- All Shark production plants are ISO-9001 certified for consistent standards



Removable Panels allow easy access from all sides



"Tru-Tite" Spring Loaded
Self-Tensioning Belt



Swing Out Burner Ring

SNG Model Specs:

Model	Order No.	GPM	PSI	Nozzle	Motor HP	Pump	Voltage	Phase	AMPS	BTU	SHIP WT	LIST PRICE
SNG4-20024A*	1.109-874.0	3.5	2000	5	5	SD4020R	230V	1 ph	25	310,000	815 lbs	\$ 5,995
SNG4-22024A*	1.109-875.0	4	2200	5.5	6.2	SM4035R	230V	1 ph	29	364,000	843 lbs	\$ 6,795
SNG4-22024B*	1.109-876.0	4	2200	5.5	6.2	SM4035R	230V	3 ph	16	364,000	843 lbs	\$ 6,795
SNG4-22024C*	1.109-877.0	4	2200	5.5	6.2	SM4035R	460V	3 ph	7	364,000	843 lbs	\$ 6,795
SNG4-22024F*	1.109-878.0	4	2200	5.5	6.2	SM4035R	575V	3 ph	6.5	364,000	843 lbs	\$ 6,995
SNG4-22024G*	1.109-879.0	4	2200	5.5	6.2	SM4035R	208V	1 ph	30	364,000	843 lbs	\$ 6,995
SNG4-22024H*	1.109-880.0	4	2200	5.5	6.2	SM4035R	208V	3 ph	18	364,000	843 lbs	\$ 6,995
SNG4-30024A*	1.109-881.0	3.9	3000	4.5	8.2	SM4035R	230V	1 ph	36	354,000	856 lbs	\$ 7,095
SNG4-30024B*	1.109-882.0	3.9	3000	4.5	8.2	SM4035R	230V	3 ph	25	354,000	856 lbs	\$ 7,095
SNG4-30024C*	1.109-883.0	3.9	3000	4.5	8.2	SM4035R	460V	3 ph	11	354,000	856 lbs	\$ 7,095
SNG4-30024F*	1.109-884.0	3.9	3000	4.5	8.2	SM4035R	575V	3 ph	14	354,000	856 lbs	\$ 7,295
SNG4-30024G*	1.109-885.0	3.9	3000	4.5	8.2	SM4035R	208V	1 ph	38	354,000	856 lbs	\$ 7,295
SNG4-30024H*	1.109-886.0	3.9	3000	4.5	8.2	SM4035R	208V	3 ph	27	354,000	856 lbs	\$ 7,295
SNG5-23024A*	1.109-887.0	5	2300	6.5	8.2	ST5030R	230V	1 ph	36	439,000	856 lbs	\$ 7,095
SNG5-23024B*	1.109-888.0	5	2300	6.5	8.2	ST5030R	230V	3 ph	25	439,000	856 lbs	\$ 7,095
SNG5-23024C*	1.109-889.0	5	2300	6.5	8.2	ST5030R	460V	3 ph	11	439,000	856 lbs	\$ 7,095
SNG5-23024F*	1.109-890.0	5	2300	6.5	8.2	ST5030R	575V	3 ph	14	439,000	856 lbs	\$ 7,295
SNG5-23024G*	1.109-891.0	5	2300	6.5	8.2	ST5030R	208V	1 ph	38	439,000	856 lbs	\$ 7,295
SNG5-23024H*	1.109-892.0	5	2300	6.5	8.2	ST5030R	208V	3 ph	27	439,000	856 lbs	\$ 7,295
SNG5-30024A*	1.109-893.0	4.8	3000	5.5	10	ST5030R	230V	1 ph	40	415,000	885 lbs	\$ 8,195
SNG5-30024B*	1.109-894.0	4.8	3000	5.5	10	ST5030R	230V	3 ph	26	415,000	885 lbs	\$ 8,195
SNG5-30024C*	1.109-895.0	4.8	3000	5.5	10	ST5030R	460V	3 ph	15	415,000	885 lbs	\$ 8,195
SNG5-30024F*	1.109-896.0	4.8	3000	5.5	10	ST5030R	575V	3 ph	14	415,000	885 lbs	\$ 8,395
SNG5-30024G*	1.109-897.0	4.8	3000	5.5	10	ST5030R	208V	1 ph	49	415,000	885 lbs	\$ 8,395
SNG5-30024H*	1.109-898.0	4.8	3000	5.5	10	ST5030R	208V	3 ph	32	415,000	885 lbs	\$ 8,395
SNG6-32024B*	1.109-899.0	6.3	3200	7	15	ST6035R	230V	3 ph	39	507,000	1825 lbs	\$ 10,295
SNG6-32024C*	1.109-900.0	6.3	3200	7	15	ST6035R	460V	3 ph	19	507,000	1825 lbs	\$ 10,295
SNG6-32024F*	1.109-901.0	6.3	3200	7	15	ST6035R	575V	3 ph	18	507,000	1825 lbs	\$ 10,495
SNG6-32024H*	1.109-902.0	6.3	3200	7	15	ST6035R	208V	3 ph	39	507,000	1825 lbs	\$ 10,495
SNG8-32024B*	1.109-940.0	8	3200	9	20	SX9536R	230V	3 ph	46	658,000	1840 lbs	\$ 11,895
SNG8-32024C*	1.109-941.0	8	3200	9	20	SX9536R	460V	3 ph	26	658,000	1840 lbs	\$ 11,895
SNG8-32024F*	1.109-942.0	8	3200	9	20	SX9536R	575V	3 ph	26	658,000	1840 lbs	\$ 11,995
SNG8-32024H*	1.109-943.0	8	3200	9	20	SX9536R	208V	3 ph	52	658,000	1840 lbs	\$ 11,995
SNG10-30024B*	1.109-944.0	9.5	3000	11	20	SX1036R	230V	3 ph	52	816,000	1910 lbs	\$ 12,795
SNG10-30024C*	1.109-945.0	9.5	3000	11	20	SX1036R	460V	3 ph	26	816,000	1910 lbs	\$ 12,795
SNG10-30024F*	1.109-946.0	9.5	3000	11	20	SX1036R	575V	3 ph	26	816,000	1910 lbs	\$ 12,995
SNG10-30024H*	1.109-947.0	9.5	3000	11	20	SX1036R	208V	3 ph	60	816,000	1910 lbs	\$ 12,995

Dimensions: 3.5-5 GPM: 49"L x 24"W x 48"H; 6-9.5 GPM: 64"L x 35"W x 61"H

*PLEASE NOTE: Draft diverter required for ETL certification - PN 9.801-040.0 (10"); PN 8.717-730.0 (12").



HOT WATER | ELECTRIC POWERED | LP HEATED

SLP Model Specs:

Model	Order No.	GPM	PSI	Nozzle	Motor HP	Pump	Voltage	Phase	AMPS	BTU	SHIP WT	LIST PRICE
SLP4-20024A*	1.109-903.0	3.5	2000	5	5	SD4020R	230V	1 ph	25	310,000	815 lbs	\$ 5,995
SLP4-22024A*	1.109-904.0	4	2200	5.5	6.2	SM4035R	230V	1 ph	29	364,000	843 lbs	\$ 6,795
SLP4-22024B*	1.109-905.0	4	2200	5.5	6.2	SM4035R	230V	3 ph	16	364,000	843 lbs	\$ 6,795
SLP4-22024C*	1.109-906.0	4	2200	5.5	6.2	SM4035R	460V	3 ph	7	364,000	843 lbs	\$ 6,795
SLP4-22024F*	1.109-907.0	4	2200	5.5	6.2	SM4035R	575V	3 ph	6.5	364,000	843 lbs	\$ 6,995
SLP4-22024G*	1.109-908.0	4	2200	5.5	6.2	SM4035R	208V	1 ph	30	364,000	843 lbs	\$ 6,995
SLP4-22024H*	1.109-909.0	4	2200	5.5	6.2	SM4035R	208V	3 ph	18	364,000	843 lbs	\$ 6,995
SLP4-30024A*	1.109-910.0	3.9	3000	4.5	8.2	SM4035R	230V	1 ph	36	354,000	856 lbs	\$ 7,095
SLP4-30024B*	1.109-911.0	3.9	3000	4.5	8.2	SM4035R	230V	3 ph	25	354,000	856 lbs	\$ 7,095
SLP4-30024C*	1.109-912.0	3.9	3000	4.5	8.2	SM4035R	460V	3 ph	11	354,000	856 lbs	\$ 7,095
SLP4-30024F*	1.109-913.0	3.9	3000	4.5	8.2	SM4035R	575V	3 ph	14	354,000	856 lbs	\$ 7,295
SLP4-30024G*	1.109-914.0	3.9	3000	4.5	8.2	SM4035R	208V	1 ph	38	354,000	856 lbs	\$ 7,295
SLP4-30024H*	1.109-915.0	3.9	3000	4.5	8.2	SM4035R	208V	3 ph	27	354,000	856 lbs	\$ 7,295
SLP5-23024A*	1.109-916.0	5	2300	6.5	8.2	ST5030R	230V	1 ph	36	439,000	856 lbs	\$ 7,095
SLP5-23024B*	1.109-917.0	5	2300	6.5	8.2	ST5030R	230V	3 ph	25	439,000	856 lbs	\$ 7,095
SLP5-23024C*	1.109-918.0	5	2300	6.5	8.2	ST5030R	460V	3 ph	11	439,000	856 lbs	\$ 7,095
SLP5-23024F*	1.109-919.0	5	2300	6.5	8.2	ST5030R	575V	3 ph	14	439,000	856 lbs	\$ 7,295
SLP5-23024G*	1.109-920.0	5	2300	6.5	8.2	ST5030R	208V	1 ph	38	439,000	856 lbs	\$ 7,295
SLP5-23024H*	1.109-921.0	5	2300	6.5	8.2	ST5030R	208V	3 ph	27	439,000	856 lbs	\$ 7,295
SLP5-30024A*	1.109-922.0	4.8	3000	5.5	10	ST5030R	230V	1 ph	40	415,000	885 lbs	\$ 8,195
SLP5-30024B*	1.109-923.0	4.8	3000	5.5	10	ST5030R	230V	3 ph	26	415,000	885 lbs	\$ 8,195
SLP5-30024C*	1.109-924.0	4.8	3000	5.5	10	ST5030R	460V	3 ph	15	415,000	885 lbs	\$ 8,195
SLP5-30024F*	1.109-925.0	4.8	3000	5.5	10	ST5030R	575V	3 ph	14	415,000	885 lbs	\$ 8,395
SLP5-30024G*	1.109-926.0	4.8	3000	5.5	10	ST5030R	208V	1 ph	49	415,000	885 lbs	\$ 8,395
SLP5-30024H*	1.109-927.0	4.8	3000	5.5	10	ST5030R	208V	3 ph	32	415,000	885 lbs	\$ 8,395
SLP6-32024B*	1.109-928.0	6.3	3200	7	15	ST6035R	230V	3 ph	39	507,000	1825 lbs	\$ 10,295
SLP6-32024C*	1.109-929.0	6.3	3200	7	15	ST6035R	460V	3 ph	19	507,000	1825 lbs	\$ 10,295
SLP6-32024F*	1.109-930.0	6.3	3200	7	15	ST6035R	575V	3 ph	18	507,000	1825 lbs	\$10,495
SLP6-32024H*	1.109-931.0	6.3	3200	7	15	ST6035R	208V	3 ph	39	507,000	1825 lbs	\$10,495
SLP8-32024B*	1.109-932.0	8	3200	9	20	SX9536R	230V	3 ph	46	658,000	1840 lbs	\$11,895
SLP8-32024C*	1.109-933.0	8	3200	9	20	SX9536R	460V	3 ph	26	658,000	1840 lbs	\$11,895
SLP8-32024F*	1.109-934.0	8	3200	9	20	SX9536R	575V	3 ph	26	658,000	1840 lbs	\$11,995
SLP8-32024H*	1.109-935.0	8	3200	9	20	SX9536R	208V	3 ph	52	658,000	1840 lbs	\$11,995
SLP10-30024B*	1.109-936.0	9.5	3000	11	20	SX1036R	230V	3 ph	52	775,000	1910 lbs	\$12,795
SLP10-30024C*	1.109-937.0	9.5	3000	11	20	SX1036R	460V	3 ph	26	775,000	1910 lbs	\$12,795
SLP10-30024F*	1.109-938.0	9.5	3000	11	20	SX1036R	575V	3 ph	26	775,000	1910 lbs	\$12,995
SLP10-30024H*	1.109-939.0	9.5	3000	11	20	SX1036R	208V	3 ph	60	775,000	1910 lbs	\$12,995

Dimensions: 3.5-5 GPM: 49"L x 24"W x 48"H; 6-9.5 GPM: 64"L x 35"W x 61"H

*PLEASE NOTE: SLP's do not come standard with an LP regulator. Must order part number 9.802-633.0 for the LP regulator.
Draft diverter required for ETL certification - PN 9.801-040.0 (10"); PN 8.717-730.0 (12").

SNG/SLP Options:




9.801-040.0 Draft Diverter




8.917-509.0 Wireless Handheld Transmitter




8.921-774.0 Wired Remote Station - Pump / Burner
(Add 8.921-773.0 to add Detergent Switch to remote station)



8.917-507.0 Auto Start/Stop, Wireless, No Remote



9.807-646.0 Auto Start/Stop Kit,
Wired Remote and Lockout



8.917-508.0 Time Delay

- Auto Start/Stop and Time delay kits are easy to install, plug and play

Order No.	DESCRIPTION	LIST PRICE
LPG Required Items*		
9.802-633.0	LP Regulator Assembly	\$275.00
Field-Installed Options		
8.917-507.0	Kit, Auto Start / Stop- wireless, no remote	\$220.00
8.917-508.0	Kit, Time Delay	\$154.00
8.921-776.0	Kit, Steam Combo	\$168.00
9.807-646.0	Kit, Auto Start / Wired Remote - no lockout function	\$220.00
Remote Station Options		
8.917-509.0	Kit, Wireless Remote Control	\$1,692.00
8.921-832.0	Wireless Handheld Transmitter	\$418.00
8.917-817.0	Kit, Wall Bracket for Wireless Handheld Transmitter	\$113.00
8.921-774.0	Kit, Wired Remote Station (Pump / Burner)	\$424.00
8.921-773.0	Kit, Wired Remote Station (Detergent)	\$204.00
8.922-157.0	Wired Remote Control Box (can add up to 4) (Pump / burner switch included, add 8.921-773.0 for detergent switch)	\$369.00
Draft Diverters* & Dampeners		
9.801-040.0	Draft Diverter (10") for use with 3.5 to 5.5 GPM models (no adapter needed) for use with 6.3 GPM models (needs 12" x 10" adapter)	\$137.00
8.717-730.0	Draft Diverter (12") for use with 6.3 - 10 GPM models (no adapter needed)	\$214.00
8.753-474.0	Draft Dampener (10')	\$23.00
8.753-478.0	Draft Dampener (12')	\$16.00
8.753-706.0	Reducer, Stack 12" to 10"	\$26.00

*Required items

EEC SERIES: All-Electric units ideal for on-demand, indoor cleaning with hot water



Features

- Quiet, enviro-clean and user friendly
- Rust-free stainless steel coil enhances high-efficiency heat transfer
- Auto start-stop for on-demand cleaning
- Shark belt-drive pump with U-Seal technology and 7-year limited warranty
- ETL certified to UL & CSA safety standards



Model	Order No.	GPM	PSI	HP	Electrical	Amps	Pump	KW Hour	Ship Wt	List Price
EEC-422007C	1.106-068.0	4.2	2000	6.2	460V / 3ph	55	SM Crankcase	40.5	640 lbs	\$9,199
EEC-353007C	1.106-069.0	3.5	3000	7.5	460V / 3ph	59	SM Crankcase	40.5	640 lbs	\$9,599
EEC-353007F	TBA	3.5	3000	7.5	575V / 3 ph	59	SM Crankcase	40.5	640 lbs	CALL

Dimensions: 32"L x 24"W x 52"H

OPTIONS [Factory Installed]

PART NO.	DESCRIPTION	LIST PRICE	PART NO.	DESCRIPTION	LIST PRICE
9.801-012.0	Time-Delay Shutdown* *Replaces Auto start-stop	\$23.00	9.801-002.0	Pressure Washer Stainless Steel Cabinet	\$17.00

HEATER ATTACHMENT | ELECTRIC POWERED | DIESEL HEATED

HP HEATER: Turns a cold water pressure washer into a hot water unit



HP Heating Module: Diesel/
oil-heated

Our Shark Series water heater provides supplemental heat to cold water machines, giving users the benefits of hot water cleaning when it's needed. An electric-powered diesel heated unit, the HP-5030D effectively heats water at a rate of up to 5 gallons per minute.

Features

- Effective heating of up to 5 GPM
- ETL certified to UL & CSA safety standards
- High-efficiency design for low operating costs



Model	Order No.	GPM	PSI	Electrical	Amps	Heated By	BTUs	Ship Wt	List Price
HP-5030D	1.109-113.0	Up to 5.0	Up to 3000	120V / 1ph	5	Diesel	300,000	320 lbs	\$3,831

29"L x 41"W x 47"H

SPECIALS HEATER | ELECTRIC POWERED | DIESEL OR NATURAL GAS HEATED

SPECIALS HEATER: Turns a cold water pressure washer into a hot water unit



Available in
Diesel or
Natural Gas

Features

- Effective heating of up to 5.6 GPM @ up to 4000 PSI
- Oil-fired 120V AC / 1ph 5 Amp*
- Oil-fired 12V DC*
- NG Millivolt

*Verify voltage on order

**** Other Heater Models available ****

Call for details & pricing

TRS-2500 Package: Includes Best-Selling Options

SSG-503537E/G Skid
4.7 GPM @ 3500 PSI
Honda GX630 engine
Electric start w/ generator

Includes Optional Rock Guard
to protect pressure washer
from flying objects

**Includes Battery
Installed Option**

Breakaway Tongue
saves on storage space

**GREAT
RETURN ON
INVESTMENT!**

Includes High-Pressure Hose Reel
(50ft hose included but not installed)

Includes Low-Pressure Hose Reel
(garden hose not included)

**Includes Saddle
Boxes (2)**
for extra storage on trailer

Cool bypass feature:
Circulates water back through tank
allowing extended run time and
pump protection!

**Includes Wand, Hose, and
Chemical Injector**

**ASK ABOUT OUR INCREDIBLY
LOW SHIPPING RATES!**
LEASE OPTIONS AVAILABLE



Model	Order No.	Axle	Load Capacity	Water Tank	Ship Weight	Package List Price
TRS-2500 Package	1.103-828.0	Single	3500 lbs	200 gallon	1815 lbs	\$17,313*

Dimensions: 123"L x 75.5"W x 69.5"H

*Price includes complete package shown, details listed below.

PACKAGE INCLUDES:

TRAILER

TRS-2500 Single-axle TRS-2500 trailer w/ 200 gallon tank

BELT-DRIVE PRESSURE WASHER (SEE PAGE 10 FOR DETAILS)

SSG-503537E/G 4.7 GPM @ 3,500 PSI, Gas, 120V AC Burner

MOUNTING KIT

8.917-294.0 SSG Skid Mounting Kit

BATTERY

8.904-051.0 Battery Installed On Pressure Washer

FACTORY INSTALLED

8.917-554.0 High-Pressure Hose Reel

8.917-555.0 Low-Pressure Hose Reel

8.917-556.0 Saddle Boxes (2)

8.917-557.0 Rock Guard



MOST CONTRACTORS CHOOSE THIS PACKAGE BECAUSE:

- EASY TO SERVICE
- EASY TO TOW
- EASY TO USE AND OPERATE
- EASY TO STORE
- EASY TO AFFORD
- BEST PROFESSIONAL
OPTIONS AVAILABLE

TRS-2500: New, flexible design accomodates different size pressure washers

(hot water skid, medium size hot-water, cold-water blaster)

Applications: Rental Yards • Construction • Mines • Marine • Property Management • Oil Fields • And More!



Model	Order No.	Axle	Load Capacity	Water Tank	Ship Weight	List Price
TRS-2500*	1.103-823.0	Single	3500 lbs	200 gallon	1072 lbs	\$5,089

Dimensions: 123"L x 75.5"W x 69.5"H

*Price includes trailer and water tank only. All trailers MUST be configured to spec.

COMPATIBLE PRESSURE WASHERS:

MODEL	DESCRIPTION	LIST PRICE
(BELT-DRIVE MODELS: SEE PAGE 10 FOR DETAILS)		
SSG-403037E	3.9 GPM @ 3,000 PSI, GAS, 12V DC Burner	\$8,126
SSG-503027E	4.8 GPM @ 3,000 PSI, GAS, 12V DC Burner	\$8,868
SSG-503027E/G	4.8 GPM @ 3,000 PSI, GAS, 120V AC Burner	\$9,537
SSG-503537E	4.7 GPM @ 3,500 PSI, Gas, 12V DC Burner	\$9,594
SSG-503537E/G	4.7 GPM @ 3,500 PSI, Gas, 120V AC Burner	\$10,874
SSG-603537E	5.6 GPM @ 3,500 PSI, Gas, 12V DC Burner	\$10,394
SSG-603537E/G	5.6 GPM @ 3,500 PSI, Gas, 120V AC Burner	\$11,534
8.917-294.0	Mounting Kit, SSG Skids*	\$85.10

DIRECT-DRIVE MODELS - SEE PAGE 10 FOR DETAILS

SGP-403537E	3.5 GPM @ 3,500 PSI, Electric, 12V DC Burner	\$7,625
8.917-295.0	Mounting Kit, SGP Model*	\$265.00

COLD WATER BELT-DRIVE MODELS - SEE PAGE 6 FOR MODELS & DETAILS

8.917-296.0	Mounting Kit, Any Cold Water Belt Drive*	CALL
-------------	--	------

*Required for mounting pressure washer to trailer

AVAILABLE OPTIONS ARE:

PART NO.	DESCRIPTION	LIST PRICE
BATTERY		
8.904-051.0	Battery Installed On Pressure Washer	\$587.00
FIELD INSTALLED		
8.917-558.0	Saddle Box (Ea)	\$163.00
8.917-559.0	Rock Guard	\$79.00
8.917-560.0	Utility Rack	\$547.00
FACTORY INSTALLED		
8.917-397.0	Electric Brakes	\$408.00
8.917-553.0	Electric Brake Breakaway Kit	\$120.00
8.917-398.0	Hydraulic Brakes	\$1,124.00
8.917-554.0	High-Pressure Hose Reel	\$453.00
8.917-555.0	Low-Pressure Hose Reel	\$453.00
8.917-556.0	Saddle Boxes (2)	\$195.00
8.917-557.0	Rock Guard	\$83.00

TRS-3500: Heavy-duty, single-axle pressure washer trailers

Designed for hot-water skid, the TRS-3500 features a rugged, protective chassis design making this heavy-duty single-axle trailer perfect for use on busy construction sites. To customize your pressure washer trailer package, simply:

- **Choose a pressure washer:** Select from 9 models of the Shark SSG hot water pressure washers (see page 10) to create the professional cleaner's dream system.
- **Choose your options:** Customize your trailer with a broad selection of options and accessories, such as hose reels, chrome coverings, etc. A full list is below.



TRS-3500
Shown with options and gasoline-powered hot water pressure washer; accommodates gasoline-powered pressure washers only

Features include:

- Single axle rated up to 3,300 lbs.
- 200-gallon water tank made of high-density polyethylene with a 12-inch access port, 1 1/2-inch drain valve, 3/4-inch float valve and a 50-mesh inlet filter
- Two 5/16-inch chains for additional safety
- Electrical wiring recessed within tubular frame;
- Lighted license plate holder and recessed tail lights;
- 1,000 lb. swivel jack and easy hook up of the trailer;
- Two 3-way ball valves for easy switching of the water flow from the holding tank to a faucet;
- Rugged steel cage for security while transporting;
- Many accessories and options available

**DESIGNED FOR OIL FIELD
APPLICATIONS AND OTHER
RUGGED ENVIRONMENTS**



Model	Order No.	Axle	Load Capacity	Water Tank	Ship Weight	List Price
TRS-3500*	1.103-826.0	Single	3300 lbs	200 gallon	840 lbs	\$6,109

Dimensions: 130"L x 73"W x 58"H

*Price includes trailer and water tank only.

All trailers MUST be configured to spec.

PURCHASE WITH THE FOLLOWING SKIDS: (Skid details on page 10)

MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
SSG-403037E	3.9 GPM @ 3,000 PSI, GAS, 12V DC Burner	\$8,126	SSG-503537E/G	4.7 GPM @ 3,500 PSI, Gas, 120V AC Burner	\$10,874
SSG-503027E	4.8 GPM @ 3,000 PSI, GAS, 12V DC Burner	\$8,868	SSG-603537E	5.6 GPM @ 3,500 PSI, Gas, 12V DC Burner	\$10,394
SSG-503027E/G	4.8 GPM @ 3,000 PSI, GAS, 120V AC Burner	\$9,537	SSG-603537E/G	5.6 GPM @ 3,500 PSI, Gas, 120V AC Burner	\$11,534
SSG-503537E	4.7 GPM @ 3,500 PSI, Gas, 12V DC Burner	\$9,594			

OPTIONS [Factory Installed]

PART NO.	DESCRIPTION	LIST PRICE	PART NO.	DESCRIPTION	LIST PRICE
BATTERY			MOUNTING KITS		
8.904-051.0	Battery Installed On Pressure Washer	\$587.00	8.902-455.0	Skid Mounting & Plumbing Kit (Required for Mounting Pressure Washer to Trailer)	\$351.00
BRAKE: ELECTRIC BRAKE OPTIONS			HOSES INSTALLED		
8.902-440.0	Electric Brake	\$405.00	8.915-156.0	High-Pressure Hose, 3/8-inch x 100 ft., 2-Wire, Installed	\$310.00
8.902-436.0	Height Adjustable Hitch w/ 3-in. Lunette Eye (Replaces Ball Coupler)	\$142.00	8.915-155.0	Garden Hose, 3/4-inch x 50 ft., Installed	\$109.00
8.707-532.0	2-inch Ball Coupler (Fits Height Adjustable Hitch 8.902-436.0 above)	\$233.00	HOSE REEL KITS (HOSE NOT INCLUDED)		
8.707-531.0	2-5/16-inch Ball Coupler (Fits Height Adjustable Hitch 8.902-436.0 above)	\$233.00	8.902-447.0	Hose Reel Kit for 100 ft. of 3/8-inch High-Pressure Hose	\$605.00
8.707-506.0	Kit, Breakaway Actuator with Battery	\$122.00	8.902-448.0	Hose Reel Kit for 200 ft. of 3/8-inch High-Pressure Hose	\$648.00
BRAKE: HYDRAULIC BRAKE OPTION			8.902-449.0	Hose Reel Kit for 75 ft. of 3/4-inch Industrial Garden Hose	\$759.00
8.902-441.0	Hydraulic Brake, with 2-inch Ball Coupler	\$1,065.00	SIGNAGE PLATE		
8.902-453.0	Hydraulic Brake, w/ Height Adjustable Hitch (Specify coupler below)	\$1,246.00	8.902-469.0	Signage Plate	\$57.00
8.707-532.0	Coupler, 2-inch Ball (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-453.0 above)	\$233.00	WHEELS AND FENDERS		
8.707-531.0	Coupler, 2-5/16-inch Ball (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-453.0 above)	\$233.00	8.902-466.0	Chrome Wheels, Pair, w/ ST205/75D15/C Spare Tire	\$368.00
8.707-534.0	Coupler, 3-inch Lunette Eye (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-453.0 above)	\$83.95	8.902-467.0	Chrome Fenders, Pair	\$307.00

TRS-6000: Heavy-duty, double-axle pressure washer trailers

The TRS-6000 trailer's rugged, heavy-duty double-axle design with 330-gallon water tank allows for long run times making it perfect for cleaning jobs that are far from a convenient water source. To customize your pressure washer trailer package, simply:

- **Choose a pressure washer:** Select from 9 models of the Shark SSG hot water pressure washers (see page 10) to create the professional cleaner's dream system.
- **Choose your options:** Customize your trailer with a broad selection of options and accessories, such as hose reels, chrome coverings, etc. A full list is below.



TRS-6000
Shown with options and
gas-powered hot water pressure washer;
accommodates both gasoline- and diesel-powered pressure washers

Features include:

- Double-axle rated up to 6,000 lbs.
- 330-gallon water tank made of high-density polyethylene with a 12-inch access port, 11/2-inch drain valve, 3/4-inch float valve and a 50-mesh inlet filter
- Two 5/16-inch chains for additional safety
- Electrical wiring recessed within tubular frame
- Lighted license plate holder and recessed tail lights
- 1,000 lb. swivel jack with a 2 5/16-inch ball coupler for quick and easy hook up of the trailer
- Two 3-way ball valves for easy switching of the water flow from the holding tank to a faucet
- Rugged steel cage for security while transporting
- Many accessories and options available



Model	Order No.	Axle	Load Capacity	Water Tank	Ship Weight	List Price
TRS-6000*	1.103-827.0	Tandem	6000 lbs	330 gallon	1980 lbs	\$8,950

Dimensions: 178"L x 80"W x 62"H

*Price includes trailer and water tank only.
All trailers MUST be configured to spec.

PURCHASE WITH THE FOLLOWING SKIDS (Skid details on page 10)

MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
SSG-403037E	3.9 GPM @ 3,000 PSI, GAS, 12V DC Burner	\$8,126	SSG-603537E	5.6 GPM @ 3,500 PSI, Gas, 12V DC Burner	\$10,394
SSG-503027E	4.8 GPM @ 3,000 PSI, GAS, 12V DC Burner	\$8,868	SSG-603537E/G	5.6 GPM @ 3,500 PSI, Gas, 120V AC Burner	\$11,534
SSG-503027E/G	4.8 GPM @ 3,000 PSI, GAS, 120V AC Burner	\$9,537	SSD-603567E	5.6 GPM @ 3,500 PSI, Diesel, 12V DC Burner	\$17,458
SSG-503537E	4.7 GPM @ 3,500 PSI, Gas, 12V DC Burner	\$9,594	SSD-603567E/G	5.6 GPM @ 3,500 PSI, Diesel, 120V AC Burner	\$18,264
SSG-503537E/G	4.7 GPM @ 3,500 PSI, Gas, 120V AC Burner	\$10,874			

OPTIONS (Factory Installed)

PART NO.	DESCRIPTION	LIST PRICE	PART NO.	DESCRIPTION	LIST PRICE
MOUNTING KITS					
8.902-455.0	Skid Mounting & Plumbing Kit (Required for Mounting Pressure Washer to Trailer)	\$351.00	HOSES INSTALLED		
BATTERY			8.915-156.0	High-Pressure Hose, 3/8-inch x 100 ft., 2-Wire, Installed	\$310.00
8.904-051.0	Battery Installed On Pressure Washer	\$587.00	8.915-155.0	Garden Hose, 3/4-inch x 50 ft., Installed	\$109.00
BRAKE: ELECTRIC BRAKE OPTIONS (Check your state regulations on trailer brakes)			HOSE REEL KITS (HOSE NOT INCLUDED)		
8.902-437.0	Electric Brake, One Axle	\$389.00	8.902-447.0	Hose Reel Kit for 100 ft. of 3/8-inch High-Pressure Hose	\$605.00
8.902-445.0	Electric Brake, Two Axles	\$748.00	8.902-448.0	Hose Reel Kit for 200 ft. of 3/8-inch High-Pressure Hose	\$648.00
8.902-436.0	Height Adjustable Hitch w/ 3-in. Lunette Eye (Replaces Ball Coupler)	\$142.00	8.902-449.0	Hose Reel Kit for 75 ft. of 3/4-inch Industrial Garden Hose	\$759.00
8.707-532.0	2-inch Ball Coupler (Fits Height Adjustable Hitch 8.902-436.0 above)	\$233.00	CHEMICAL RACK		
8.707-531.0	2-5/16-inch Ball Coupler (Fits Height Adjustable Hitch 8.902-436.0 above)	\$233.00	8.912-409.0	Dual 5 gal. Bucket Chemical Rack	\$168.00
8.707-506.0	Kit, Breakaway Actuator with Battery	\$122.00	FUEL TANK AND TOOL BOX [Diesel Only - Special Order Option]		
BRAKE: HYDRAULIC BRAKE OPTIONS			No PN	Fuel & Tool, Tank 45 gal.	CALL
8.902-438.0	Hydraulic Brake, One Axle, with 2-in. Ball Coupler	\$1,065.00	No PN	Fuel & Tool, Tank 24 gal.	CALL
8.902-446.0	Hydraulic Brake, Two Axles, with 2-in. Ball Coupler	\$1,906.00	SIGNAGE PLATE		
8.902-451.0	Hydr. Brake, One Axle, w/ Height Adj. Hitch (Specify Coupler below)	\$1,256.00	8.902-469.0	Signage Plate	\$57.00
8.902-452.0	Hydr. Brake, Two Axles, w/ Height Adj. Hitch (Specify Coupler below)	\$1,742.00	WHEELS AND FENDERS		
8.707-532.0	Coupler, 2-inch Ball (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-452.0 above)	\$233.00	8.902-466.0	Chrome Wheels, Pair, w/ST205/75D15/C Spare Tire (2 Pair Required for TRS-6000)	\$368.00
8.707-531.0	Coupler, 2-5/16-inch Ball (Fits Height Adjustable Hitch 8.902-451.0 & 8.902-452.0 above)	\$233.00	8.902-468.0	Chrome Fenders, Pair	\$426.00
8.707-534.0	Coupler, 3-inch Lunette Eye	\$83.95			
(Fits Height Adjustable Hitch 8.902-451.0 & 8.902-452.0 above)					

SPECIALS

STP Special: Hot Water, Electric Steamer



Capable of
310° hot
water!

Features

- 300 PSI @ 2.0 GPM
- Capable of 310 degree hot water
- 120V / 1ph
- 1.5hp motor
- Open gun system
- Comes with steam wand, steam nozzle and steam hose

Call for details

TRS-6000 Special: Heavy-Duty Industrial Design



Perfect for
Oil Fields and
Mining!

Features

- SSD-603537E/G diesel-powered, 3500 PSI @ 5.6 GPM belt-drive hot water skid
- 120V Winco generator
- Completely tamper proof
- Bulldog jack stand (welded)
- Surge brakes one axle w/ 2" ball coupler and 3" Lunette eye
- Downstream chemical injection
- 45-gallon diamond plate fuel & tool box
- 900 series Giant unloader valve



Bulldog Jack Stand



Tamper Proof Controls

Call for details

SPECIALS

Flat Bed Skid: Slides into the back of a truck or trailer



Features

- 200-gallon water tank
- Comes with (1) high-pressure hose reel and (1) low-pressure hose reel
- Highly customizable with multiple engine choices and options (see SSG skids on page 11)
- Easy access front panel operation
- ETL certified to UL-1776 safety standards
- 4 lifting eyes
- Low water shutoff

Call for details

Stainless Steel Hot Water Skid

Features

- Stainless steel chassis and cage with lifting eyes
- 3500 PSI
- Diesel engine
- Diesel burner
- Corrosion resistance

**Perfect for
Oil Fields,
Oil Rig Platforms
and Mining!**



Call for details

SPECIALS

Dual-Axle Pressure Washer Trailer w/ Recovery System



Features

- 230-gallon water tank
- SSG-503027E/G hot water skid
- Fuel tank & tool box combination
- 50-gallon gas tank for long run times
- 2-gun set-up (guns included with complete set of nozzles)
- (2) 55-gallon drums for water recovery
- Vacuum specs:
 - * 4 peak hp
 - * 11 amps
 - * 105 static PSI (in)
 - * 107 cfm @ 2.5 orifice
 - * 50 foot vacuum hose
 - * Includes wand with pickup tool



(2) 55-gallon recovery drums, (2) 100' high-pressure hoses w/ reels, (1) 50' low-pressure hose w/ reel

Call for details

SHARK JETTERS: Powerful and proven drain cleaning machines

With over 15 years experience manufacturing jetters, Shark offers 3 high-pressure electric jetters and 4 high-pressure gas jetters to the plumbing, rental, jan san and MRO markets.

Features:

- 1500 PSI, 1.7 GPM
- 1-1/2 hp motor, 13 amp w/GFCI
- Durable Triplex pump
- Heavy-duty frame
- 1725 rpm motor = long lasting pump
- Thermal relief valve
- Back flow check valve
- Inlet filter
- Pressure gauge
- Retractable handle on SJPE-1500
- Compact design for easy transport
- All models come standard with gloves & safety goggles



All models ETL certified to UL-1776 and CSA safety standards

BASIC MODELS (no hose, no nozzles)

Model	SJHE-1500	SJPE-1500	SJPE-1650
Order No.	1.106-045.0	1.106-046.0	1.106-048.0
GPM	1.7	1.7	1.7
PSI	1500	1500	1500
Motor	1-1/2 hp, 1725 rpm	1-1/2 hp, 1725 rpm	1-1/2 hp, 1725 rpm
Pump	Triplex	Triplex	Triplex
Net Wt	71 lbs	105 lbs	130 lbs
List Price	\$1,496	\$1,874	\$2,065

MODELS WITH ACCESSORY KITS

Model	SJHE-1500 (KIT B)	SJPE-1500 (KIT B)	SJPE-1650 (KIT B)
Order No.	1.107-199.0	1.107-201.0	1.107-203.0
Includes	150' 1/4-inch Sewer Hose 25' 1/8-inch Sewer Hose 1/8-inch Sewer Nozzle 1/4-inch Sewer Nozzle	150' 1/4-inch Sewer Hose 25' 1/8-inch Sewer Hose 1/8-inch Sewer Nozzle 1/4-inch Sewer Nozzle	150' 1/4-inch Sewer Hose 25' 1/8-inch Sewer Hose 1/8-inch Sewer Nozzle 1/4-inch Sewer Nozzle
List Price	\$2,085	\$2,429	\$2,866

Model	SJHE-1500 (KIT C)	SJPE-1500 (KIT C)	SJPE-1650 (KIT C)
Order No.	1.107-200.0	1.107-202.0	1.107-204.0
Includes	150' 1/4-inch Sewer Hose 75' 1/8-inch Sewer Hose 1/8-inch Sewer Nozzle 1/4-inch Sewer Nozzle	150' 1/4-inch Sewer Hose 75' 1/8-inch Sewer Hose 1/8-inch Sewer Nozzle 1/4-inch Sewer Nozzle	150' 1/4-inch Sewer Hose 75' 1/8-inch Sewer Hose 1/8-inch Sewer Nozzle 1/4-inch Sewer Nozzle
List Price	\$2,235	\$2,502	\$2,801

Dimensions: 22"L x 14"W x 13"H

27"L x 17.5"W x 32"H

26"L x 26"W x 38"H



Shark's unique Pulse Technology was engineered to do the hard work so you don't have to. The pulsating action breaks the friction between the hose and pipe, allowing the hose to move easily through the pipe, especially around tight curves.

Shark Gas Engine Jetters: Four high-power models

FEATURES:

- Pulse Technology on demand
- Honda or Vanguard engines w/ low oil shutoff
- Electric start standard on SJGDG-3016 and SJGDG-3020 (battery not included)
- Heavy-duty frame
- Hose reel w/ drag brake, rear lock and swivel
- Metal tool box comes standard
- Thermal relief valve
- Back flow check valve
- Inlet filter
- Pressure gauge
- All models come standard with gloves & safety goggles

 All models ETL certified to UL-1776 safety standards



BASIC MODELS (no hose, no nozzles)

Model	SJDDG-3011	SJGDG-3013	SJGDG-3016	SJGDG-3020
Order No.	1.107-063.0	1.107-067.0	1.107-060.0	1.107-061.0
GPM	4	4	5.5	8
PSI	3000	3000	3000	3000
Engine	Honda 389cc	Honda 389cc	Vanguard 480cc	Honda 614cc
Pump	Triplex Direct-Drive	Triplex Direct-Drive	Triplex Gear-Drive	Triplex Gear-Drive
Net Wt	173 lbs	203 lbs	280 lbs	375 lbs
List Price	\$3,017	\$3,837	\$5,418	\$5,885

MODELS WITH ACCESSORY KITS

Model	SJDDG-3011 (KIT B)	SJGDG-3013 (KIT B)	SJGDG-3016 (KIT B)	SJGDG-3020 (KIT B)
Order No.	1.107-205.0	1.107-207.0	1.107-209.0	1.107-211.0
Includes	200' 3/8-inch Sewer Hose, 3/8-inch Sewer Nozzle	200' 3/8-inch Sewer Hose, 3/8-inch Sewer Nozzle, Chemical Injector, Gun, Wand, and 50' 3/8-inch High Pressure Hose	250' 3/8-inch Sewer Hose, 3/8-inch Sewer Nozzle, Chemical Injector, Gun, Wand, and 50' 3/8-inch High Pressure Hose	250' 3/8-inch Sewer Hose, 3/8-inch Sewer Nozzle, SHR-300 300' Cart Hose Reel, Chemical Injector, Gun, Wand, and 50' 3/8-inch High Pressure Hose
List Price	\$3,664	\$4,616	\$5,960	\$7,415

Model	SJDDG-3011 (KIT C)	SJGDG-3013 (KIT C)	SJGDG-3016 (KIT C)
Order No.	1.107-206.0	1.107-208.0	1.107-210.0
Includes	200' 3/8-inch Sewer Hose, 150' 1/4-inch Sewer Hose, 1/4-inch and 3/8-inch Sewer Nozzles, and SHR-300 300' Cart Hose Reel	200' 3/8-inch Sewer Hose, 150' 1/4-inch Sewer Hose, 1/4-inch and 3/8-inch Sewer Nozzles, SHR-300 300' Cart Hose Reel, Chemical Injector, Gun, Wand, and 50' 3/8-inch High Pressure Hose	250' 3/8-inch Sewer Hose, 150' 1/4-inch Sewer Hose, 1/4-inch and 3/8-inch Sewer Nozzles, SHR-300 300' Cart Hose Reel, Chemical Injector, Gun, Wand, and 50' 3/8-inch High Pressure Hose
List Price	\$4,761	\$5,897	\$7,124

SHR-300 Cart Reel (hose not included)



SHR-200 Hose Reel



OPTIONAL ACCESSORIES

Model	Order No.	Description	List Price	Model	Order No.	Description	List Price
SHR-200HR	8.902-989.0	200' Hose Reel	\$856.00	SHR-300	8.902-985.0	300' Portable Cart Hose Reel	\$1,465.00
SHR-200FP	8.902-990.0	200' Hose Reel w/ Foot Pedal	\$941.00	SFP	8.902-986.0	Foot Pedal	\$325.00

Drain Auger: Available in a manual crank and drill adaptable models



Applicable for both indoor and outdoor small drain pipes (1-1/4" to 3"), Shark's drain augers are designed to be simple to use and easy to handle. Simply release the locking screw, insert the soft shaft into the pipe, latch the lock and rotate the handle. The metal barrel core ensures cleaner and more convenient use.

- For use in 1-1/4" to 3" pipes
- Quickly opens clogged kitchen, bathroom and laundry sinks
- Anti-twisting / anti-kinking inner core cable

Order No.	Model	Description	List Price
8.753-185.0	DSH-1	Drain Auger	\$96.80
8.753-186.0	DSP-10	Drain Auger w/ Drill Adapter*	\$191.00
8.753-184.0	DSH-3	Closet Auger	\$91.85

*Drill not included.

Drain Plunger: Force pump for clearing drain clogs



- Quickly and easily removes blockages in drain, toilets, sinks, baths and waste pipes
- Comes with 3 adaptors for use on different sewer lines
- Removable handle for easy and comfortable operation
- Double sided sealing lip for optimal pressure

Order No.	Model	Description	List Price
8.753-187.0	DSH-2	Drain Plunger	\$126.00

Foot Controlled Pressure Valve

Operators of sewer and tube cleaning equipment need both hands free to feed or retract the hose in the sewer line. Foot operated valve allows hands-free control.

Features

- Inlet 3/8" - outlet 1/4"
- Up to 12 GPM max flow
- Up to 5000 PSI max pressure
- Brass body - stainless steel valve
- Steel cover for safety



Order No.	PSI	Description	List Price
8.902-986.0	4000	Shark SFP foot valve	\$325.00
8.710-134.0	3000	Sewer cleaner foot valve	\$133.00
8.709-972.0	5000	Foot valve w/ ST-2305*	\$335.00
8.701-657.0	-	Repair kit - foot valve	\$19.95
8.701-673.0	-	Repair kit ST-2305	\$14.15
8.711-526.0	-	Kit, 25' hose, #4.5 nozzle, foot valve	\$213.00

* Heavy gauge steel construction for durability and stability

Sewer Hose: Super flexible sewer line hose



Hose and couplings have small outside diameter, allowing hose and nozzles to fit through sewer line. Sewer line has Super Tough poly-ether cover over ultra-flexible nylon tube. (1/8" sewer nozzle and hose will operate through many 1-1/2" lines) **Nozzles not included.**

- 150°F max temperature
- Nylon tube, poly-ether cover

1/8" Hose		
Order No.	Description	List Price
1/8" Hose - 4800 PSI, 1/4" inlet / 1/8" outlet		
8.705-601.0	1/8" x 25'	\$77.65
8.705-602.0	1/8" x 50'	\$105.00
8.705-603.0	1/8" x 100'	\$186.00

1/4" Hose		
Order No.	Description	List Price
1/4" Hose - 2600 PSI, 1/4" inlet / 1/4" outlet		
8.705-607.0	1/4" x 50'	\$75.90
8.705-608.0	1/4" x 100'	\$164.00
1/4" Hose - 4400 PSI, 1/4" inlet / 1/4" outlet		
8.705-610.0	1/4" x 50'	\$110.00
8.705-611.0	1/4" x 100'	\$205.00

Sewer Nozzles: Stainless steel sewer nozzles



Features

- 4100 PSI max pressure
- Corrosion-resistant stainless steel
- One forward orifice
- Three rear orifices

Order No.	Nozzle / Size	List Price
8.710-905.0	1/8" / 5.0	\$16.70
8.710-906.0	1/8" / 5.5	\$16.70
8.710-907.0	1/8" / 6.0	\$16.85
8.710-908.0	1/4" / 6.5	\$18.15
8.710-909.0	1/4" / 7.0	\$18.15
8.710-910.0	1/4" / 9.5	\$18.30

Pipe Cleaning Nozzles


The reverse jets on the fixed and rotary nozzles pull the hose through the tube or sewer line and blast debris from line or tube walls. Fixed nozzles also have forward orifice to blast blockage out of the way.

Features - Standard Sewer Nozzle

- Blast forward and back
- Clears clogs and flushes out lines
- 4200 PSI max pressure

Features - Rotating Sewer Nozzle

- Adds extra agitation
- 3000 PSI max pressure
- Back Jet Only



Duct Cleaner

Rotating Nozzle

Order No.	Nozzle / Size	List Price
Rotating Nozzle		
8.710-899.0	1/8" / 5.5	\$49.65
8.710-898.0	1/4" / 5.5	\$50.15
8.710-900.0	1/4" / 8.0	\$50.40
Duct Cleaner		
8.710-887.0	1/4" / 5.5	\$49.10

Order No.	Nozzle / Size	List Price
8.710-875.0	1/8" / 5.0	\$23.50
8.710-874.0	1/8" / 5.5	\$23.75
8.710-878.0	1/4" / 4.5	\$22.40
8.710-876.0	1/4" / 5.5	\$22.40
8.710-877.0	1/4" / 6.0	\$23.30
8.710-880.0	1/4" / 7.5	\$23.75
8.710-879.0	1/4" / 8.0	\$22.85
8.710-881.0	1/4" / 12	\$22.60
8.710-885.0	3/8" / 4.0	\$49.80
8.710-884.0	3/8" / 5.5	\$47.40
8.710-886.0	3/8" / 8.5	\$49.80
8.710-883.0	3/8" / 12	\$48.35
8.710-882.0	3/8" / 14	\$48.35

* Back jet only

Accessories for KG & RG Pressure Washers



RG: Gasoline-powered, direct-drive for residential use



KG: Gasoline-powered, direct-drive

Complete the RG and KG pressure washer package with these popular accessories, including hoses, wands and trigger guns.

Order No.	Description	Units	List Price
9.162-320.0	Hose, 50', 3000 PSI, 22MM Ends	KG-252437 & KG-262637	\$138.00
9.162-323.0	Hose, 50', 4000 PSI, 22MM Ends	KG-313137, KG-403637, RG-364037	\$162.00
9.162-321.0	Hose, 25', 3000 PSI, Thermal Plastic, 22MM Ends	RG-232637 & RG-253037	\$33.20
9.112-017.0	Extended Trigger Gun, 4000 PSI	KG-313137 & KG-403637	\$63.15
9.112-012.0	Extended Trigger Gun, 3000 PSI	RG-232637 & RG-253037	\$17.10
9.802-220.0	Wand, 18" M22 X 1/4" O/C	KG Series	\$26.15
9.112-527.0	Wand, 20", 4000 PSI, with Quick Connect	RG-364037	\$32.60
9.112-533.0	Wand, with Quick Disconnect	RG-232037 & RG-253037	\$8.55

Tachometer / Hour meter



8.904-540.0.0

- Extremely rugged and tamper-proof
- Sealed from dirt and moisture

Order No.	Description	List Price
8.904-540.0	Tachometer/Hour Meter 12VDC	\$89.80

Shark Industrial Sandblasters

For the extra-tough cleaning jobs, wet-sandblasting is the dust-free solution. Shark's sandblasters attach to a cold-water pressure washer and, using a venturi, mixes sand or other abrasive media with the high-pressure spray to create enough cleaning power to strip paint off concrete and barnacles from a ship's hull.

The sandblasting nozzle is made of tungsten carbide for long life. There are two models; a top-of-the-line steel pot (photo below on right) with tight-fitting lid, or with a probe only.

Other features include:

- Quick-connect coupler for ease in attaching sand probe or pot
- Valve for metering the flow of the media
- Tubed pneumatic tires for easy maneuvering

Rating: Super-duty

Recommended Usage: Heavy

Attaches to: Any cold-water pressure washer with minimum volume of 4 GPM

Old No.	Order No.	Description	For Each
4-011201	8.904-470.0	Sandblaster w/ Probe and Pot (carbide)	\$1,484.00
4-011211	8.904-472.0	Sandblaster w/ Probe (carbide)	\$ 950.00



8.904-472.0



8.904-470.0

Mosmatic Surface Cleaners & Duct Cleaner

Turbo Surface Cleaner

Delivers high-pressure performance with low maintenance for any hot or cold pressure washer. Completely stainless steel design makes this the toughest surface cleaner available in the pressure cleaning market.



- 250°F
- 4000 PSI
- 6.5lbs

Swiss engineered with high RPM Swivel features reinforced self-lubricated stainless steel ball bearings and dual spring based carbide seal bushings for long-lasting operation under tuff conditions.

Ideal for Pressure Washer Contractor to clean Walls, Ceilings, Public Facilities, Tile Floors and other hard to reach areas. Uses 1/8" meg 1503 nozzles.

Duct Cleaner

Designed as an accessory for use with high pressure pumps or pressure washers. Cleans Ducts, Chutes, Vents, Restaurant Exhausts, Tanks, etc.

Self rotating and feeding stainless steel triple bearing system for constant easy turning. Nozzle holders are 1/8" NPTF. Nozzles are sold separate.



- 250°F
- 4000 PSI
- 2lbs
- Inlet Ports: 3/8" NPTF

12" Surface Cleaner

Designed for effortless cleaning of small areas including walls and angled surfaces.

High RPM swivel with integrated toggle joint and adjustable tension system.

- 250°F
- 4000 PSI
- 9lbs
- 12" SS Cover



Order No.	Description	PSI	List Price
8.749-911.0	Surface Cleaner - 12"	4000	\$861.00
8.712-284.0	Turbo Cleaner - 8"	4000	\$661.00
8.712-280.0	Duct Cleaner TYR-2s, Adjustable 6"	4000	\$636.00
8.712-279.0	Duct Cleaner TYR-2s, Fixed 6"	4000	\$574.00

Mosmatic With Recovery - Recover water & dirt while cleaning

These surface cleaners are based off the Mosmatic 12" surface cleaning, with an added recovery system. The specially designed recovery system will allow you to recover the water and dirt from your cleaning area in one pass.

Model FL-AHB-KAU comes with a Gum Remover Scraper, and also has an optional Gum Remover Nozzle (sold separately). The special gum remover nozzle is mounted on the back of the cleaner. The right hand gun is for the surface cleaner and the left hand gun is for the gum remover, or other tough spots. The flat angle of the nozzle lifts and breaks up the gum for easy removal.



Vacuum hose not included

- 250°F
- 5000 PSI
- 21" cleaning width
- Stainless steel guard with adjustable housing
- 4 stainless steel castors for easy maneuvering in tight spaces
- Withstands up to 5000 PSI
- Gum remover nozzle*

**Sold separately for model FL-AHB-KAU 520 only*


Order No.	Model	Description	PSI	List Price
8.751-299.0	FL-AH 520	Surface Cleaner w/ Recovery	5000	\$3044.00
8.751-300.0	FL-AHB-KAU 520	Gum Remover w/ Recovery	5000	\$4162.00
8.751-301.0		Gum Remover Nozzle*	5000	\$752.00

**Sold separately, for 8.751-300.0*

Mosmatic Roof Cleaner

Industrial quality tool specially designed for efficient, high pressure roof cleaning while keeping the operator in a safe area.

- 21-inch
- 4000 PSI
- 250°F
- 31.9 lbs.
- Pressure gauge
- Ball valve
- Adjustable Wheels (height & width)
- Safety eye connection for rope or cable
- (2) 1/8" nozzles sold separately



Order No.	Description	List Price
8.749-910.0	Mosmatic Roof Cleaner	\$2470.00

Rotary Surface Cleaner



The NEW Rotary Surface Cleaner is the affordable way to clean flat surfaces fast without leaving "striping" often caused when using a wand.

Common Uses:

- Removes deposits, mass, algae, fuel, oil and grease from flat surfaces such as drive through pads, boat ramps, tennis courts, roofs, pools, decks, walkways, factory floors, semi trailer floors, fishing docks and loading docks.
- Cleaning stubborn stains from asphalt and concrete surfaces
- Disinfection for the highest hygiene demands in saunas, bathroom areas and in the catering/restaurant industries
- Great for cleaning driveways and sidewalks!

Benefits:

- Huge time savings
- Easy, effortless work
- Substantially lower cost (especially saves on labor cost)
- Visibly greater cleanliness
- Use with hot or cold water
- Circular design allows a zero wall clearance
- Hover action (cleaner floats above ground)
- Eliminates streaking and fatigue

Specs:

- 2000 - 4000 PSI
- 3.0 - 8.0 GPM
- 212°F Max Temp
- 2500 Max RPM
- Weight: 26 lbs (21")
29 lbs (24")

Comparison Chart

The following comparison chart shows the typical time taken to clean a typical driveway (37 sq. meter).

Attachment	Time
Rotary Surface Cleaner	10 min.
Standard Spray Nozzle	80 min.

Order No.	Description	List Price
8.753-572.0	21" Surface Cleaner (A+SC21)	\$779.00
8.753-573.0	24" Surface Cleaner (A+SC24)	\$872.00

Cyclone Rotary Surface Cleaner

The "Cyclone" rotary surface cleaner can be used with most hot and cold water washers. It reduces overspray and zebra striping. Great for warehouse floors, sidewalks, pool decks, parking lots, etc.



- 4-10 GPM
- 2000 - 3500 PSI
- Handles water temp up to 200°F
- Polyethylene housing
- Collapsible handle
- Pneumatic tires
- 20" diameter surface cleaning
- Up to 5 gpm
- Weight: 35 lbs

Order No.	Description	List Price
8.903-608.0	"Cyclone" Surface Cleaner	\$1,255.00

Whisper Wash Flat Surface Cleaners

The "Big Guy"

- Powder coated aluminum housing
- Oversized, self-lubricating twin thrust bearings
- Choice of 2 or 4 nozzles
- 10" pneumatic tires, 4" caster
- Crafted with durable stainless steel & aircraft aluminum
- Handles water temp up to 212°F
- 4-10 GPM
- Dimensions: 28" x 44" x 12"
- Weight 48 lbs



Order No.	Description	List Price
8.710-074.0	Whisper Wash Big Guy 2 Nozzles	\$1,826.00
8.710-075.0	Whisper Wash Big Guy 4 Nozzles	\$1,908.00
8.750-604.0	Swivel, Complete Big Guy & Classic	\$568.00
8.701-879.0	Repair Kit, Seal, Big Guy & Classic	\$81.35
8.701-874.0	Spraybar, 4 Nozzle, Big Guy	\$170.00
8.701-876.0	Spraybar, 2 Nozzle, Big Guy	\$167.00

The "Maxima 36"

- Portable Breakaway Handle
- Handles water temp up to 212°F
- 4-10 GPM
- 2500 RPM
- Dimensions: Cover: 36" Handle: 77"
- Weight 37 lbs



Order No.	Description	List Price
8.710-089.0	Maxima 36 Surface Cleaner	\$2,284.00

The Ultra Clean HC

- ABS Housing
- 2" nylon brush
- Powder coated handle
- Handles water temp up to 185°F
- 3-6 GPM
- Dimensions: 16" x 43" x 9"
- Weight 19 lbs



Order No.	Description	List Price
8.710-071.0	Whisper Wash Ultra Clean HC	\$988.00

The Classic

- Portable breakaway handle
- ABS Housing
- 2" nylon brush
- Handles water temp up to 212°F
- 4-10 GPM
- Dimensions: 19" x 77" x 12"
- Weight 28 lbs



Order No.	Description	List Price
8.710-073.0	Whisper Wash Classic	\$1,555.00
8.750-604.0	Swivel, Complete Big Guy & Classic	\$568.00
8.701-879.0	Repair Kit, Seal, Big Guy & Classic	\$81.35

High-Pressure Hose: Made of abrasion-resistant, steel-wire braid



Shark's easy-to-identify hose is made of the highest quality. Tested to ISO 6945 / DIN 20024, it has proven to have up to seven times more abrasion resistance than other brands yet is 20% more flexible.

Features

- Maximum-strength Class A ORS
- 20% More flexible than other brands
- Unique high-endurance wire braid

	Order Number	PSI Rating	Hose Length	Wire Braid	Inside Diameter	Hose Color	Hose Guard Color	List Price
A	8.739-020.0	4000	25 ft.	Single	3/8"	Black	Black	\$56.30
	8.739-021.0	4000	50 ft.	Single	3/8"	Black	Black	\$93.80
	8.739-033.0	4000	100 ft.	Single	3/8"	Black	Black	\$166.00
	8.739-066.0	5800	50 ft.	Double	3/8"	Black	Red	\$122.00
	8.739-224.0	5000	50 ft.	Double	3/8"	Black	Red	\$110.00
	8.739-226.0	5000	100 ft.	Double	3/8"	Black	Red	\$204.00
B	8.740-260.0	4500	50 ft.	Double	3/8"	Blue	Red	\$172.00
	8.739-210.0	4500	100 ft.	Double	3/8"	Blue	Red	\$323.00
C	8.711-722.0*	4500	50 ft.	Double	3/8"	Blue	Red	\$183.00
	8.739-421.0	3000	50 ft.	Single	1/2"	Black	Black	\$158.00
	8.739-423.0	3000	100 ft.	Single	1/2"	Black	Black	\$285.00
	8.739-425.0	5000	50 ft.	Double	1/2"	Black	Red	\$179.00
	8.739-427.0	5000	100 ft.	Double	1/2"	Black	Red	\$340.00

*Equipped with coupler and nipple

Blue hoses are non-marking

Hose Reels: Revolutionary 360° swivel design makes for easy handling



The Shark pivot hose reel features a sturdy, lockable, 360° swivel design so it is always aligned with the hose for tangle-free pressure washing. There are two types: pivot and standard (non-pivot). All are rated at 5000 PSI and 325°F to meet maximum limits of standard 3/8-inch high-pressure hoses. Reels range in three sizes to handle 100, 200 or 400 feet of high-pressure hose and carry a two-year warranty. Features include: stainless steel rotor and dual seal swivel, "flip-over" hose guide, spring-action pin to prevent slippage when winding hose and easy-to-engage cam-lever brake. It is the standard in the industry!

Features

- Rugged steel with all-weather powder coat finish
- 2-year, leak-free warranty
- 'Flip-over' hose guide for protection against injury
- Spring-action stainless steel pin prevents slippage
- Hard-pull protection



	Old No.	Order No.	Description	Hose Capacity	List Price
A		8.750-485.0*	Pivot reel, 360° swivel	for 100 ft. of 3/8" hose	\$345.00
		8.750-482.0*	Pivot reel, 360° swivel	for 200 ft. of 3/8" hose	\$385.00
B	4-02755030	9.804-067.0*	E-ZEE Reel, non-pivot	for 100 ft. of 3/8" hose	\$107.00
C		8.750-476.0*	Hose Reel, non-pivot	for 100' of 3/8" hose	\$265.00
		8.750-479.0*	Hose Reel, non-pivot	for 200' of 3/8" hose	\$278.00
	4-02043505C	8.711-638.0	Jumper Connection Hose Connects hose reel to pressure washer Fits all Shark hot water models	5 ft. of 3/8" hose	\$36.15
D	4-02750001	8.711-858.0*	Cox hose reel	for 175 ft. of 1/2" hose	\$444.00
		9.802.045.0	Pipe Bushing 1/2" x 3/8"	for Cox Hose Reel	\$2.10

* Mounting bracket, jumper hose and connections not included. See next page for mounting brackets.


For best results on optional hose reels, view options listed under specific machines

Hose Reel Mounting Brackets



Order No.	Description	Use With	List Price
8.919-441.0	45° Support Arm	Non-Pivot Hose Reel	\$25.00
8.919-445.0	90° Support Arm	Non-Pivot Hose Reel	\$24.00
8.919-448.0	Vertical Support Arm	Non-Pivot Hose Reel	\$25.00
8.919-072.0	Bracket for SGP Machines	Non-Pivot Hose Reel	\$55.00
9.803-841.0	Bracket for STP Machines	E-ZEE Hose Reel ONLY	\$56.35
8.919-430.0	Universal Support Bracket	Pivot Hose Reel	\$76.00
8.919-437.0	Wall Mount Bracket	Pivot Hose Reel	\$35.00
8.919-434.0	Base Mount Bracket	Pivot Hose Reel	\$38.00
8.919-794.0	Skid Pivot Mount Bracket	Pivot Hose Reel	\$101.00
9.118-021.0	Swivel Bracket	Pivot Hose Reel	\$58.00
9.118-020.0	Swivel Bracket	Pivot Hose Reel	\$65.00

Trigger Guns: Insulated, ergonomic design reduces buzzing in hands



Shark offers the highest quality trigger guns able to withstand pressures of up to 5000 PSI. All are insulated and feature a fatigue-free design for reducing the strain and numbing effect of continuously operating a pressure washer.

Features

- Insulated for operator protection
- Fatigue-free design to alleviate numbing effect of continuous power washing

	Order No.	Description	PSI	GPM	Temp Rating	List Price
A	8.751-214.0	Legacy Ind. Trigger Gun	5000	12	300°F	\$36.70
	8.710-384.0	ST-1500 Trigger Gun	5000	10.4	300°F	\$41.45
B	8.710-394.0	Giant Gun 21290C	5000	10	300°F	\$48.40
C	8.711-339.0*	Wand, Gun & Coupler Assembly	5000	7.6	320°F	\$223.00
	8.750-247.0	M407 Trigger Gun	4000	7	250°F	\$24.90

*Includes gun, wand and coupler for use with 5000 PSI pressure washers

Order No.	Description	Use With	List Price
8.751-119.0	Valve Kit	Legacy Ind. Trigger Gun	\$18.95

Dump Guns: Water continues to run through the tube even when trigger gun is closed



Shark dump guns are great for cleaning stadiums or if you need to leave pressure washer in extended bypass.

Features

- PSI: 3000; GPM: 10.5
- Temp: 140°F

Order No.	Length	PSI	GPM	Temp Rating	List Price
8.710-405.0	16"	3000	10.5	140°F	\$110.00
8.710-406.0	40"	3000	10.5	140°F	\$125.00
8.704-169.0	Dump Gun Repair Kit				\$25.65

Wands: Stainless steel and chrome plated for point-and-shoot action



A



B



C



D

There is a Shark wand to meet every cleaning need. There are both stainless steel and economical chrome-plated models for both the variable pressure and straight through wands with lengths ranging from 30 to 79-inches.

Features

- Easy to attach
- Stainless steel or chrome-plated
- Varying lengths up to 79 inches

	Order No.	Length	Functionality	Made Of	Insulated	Coupler	List Price
A	8.783-039.0	30"	Side Handle	Chrome Plated	No	Yes	\$17.75
A	9.802-219.0	36"	Side Handle	Chrome Plated	No	Yes	\$33.10
A	8.783-040.0	44"	Side Handle	Chrome Plated	No	Yes	\$20.20
B	9.802-222.0	36"	Variable Pressure	Chrome Plated	Yes	Yes	\$89.75
C	8.711-279.0	31"	Straight Through	Stainless Steel	No	No	\$16.40
C	8.711-281.0	40"	Straight Through	Stainless Steel	No	No	\$27.50
C	8.711-290.0	72"	Straight Through	Stainless Steel	No	No	\$33.55
D	9.803-805.0	35.5"	Straight Through	Stainless Steel	Yes	Yes	\$35.75

Telescoping Wand: Extends cleaning reach to as high as 24 feet



Reaching high places with a pressure washer just got easier with Shark's telescoping wand. Made of light-weight fiberglass and aluminum, it's the easiest handling extension wand on the market for cleaning multi-story buildings at heights of up to 24-feet and at up to 3000 PSI.

Features

- Extends up to 24 feet
- Light and balanced for ease in cleaning
- Made of fiberglass and aluminum
- For use up to 300°F

	Order No.	Description	Length	List Price
	8.710-589.0	Telescoping wand with shut-off gun, 4000 PSI	6 - 12 ft.	\$195.00
	8.710-590.0	Telescoping wand with shut-off gun, 4000 PSI	6 - 18 ft.	\$216.00
	8.710-591.0	Telescoping wand with shut-off gun, 4000 PSI	6 - 24 ft.	\$263.00
	8.700-059.0	Telescoping wand shoulder strap and belt		\$48.20

Gun, Lance And Hose Kits: Used with RG & KG cold water pressure washers



Order No.	Description	List Price
9.802-223.0	Insulated Lance w/ Gun	\$52.95
9.802-220.0	Lance w/ Coupler (not shown)	\$26.15
8.711-285.0	Lance w/ #3 Hi/Low Varifan Nozzle	\$31.50
8.711-531.0	1/4" x 25' Thermoplastic Hose, 22mm both ends	\$44.15

ACCESSORIES | ATTACHMENTS TO ENHANCE CLEANING EFFECTIVENESS

Gun, Lance And Hose Kits: Used with cold water pressure washers



Kit 1 - 3000 PSI Includes:

- Teflon Tape
- Hose, 3000 PSI 3/8 x 50', R1
- QC Nozzle, SS 1/4" #4.0x15
- Coupler, 3/8" Female brass
- Wand, 18" M22 x 1/4" QC
- Gun, S2 3/8" inlet, Lance w/M22 coupler

Order No: 8.903-454.0

List Price: \$237.00

Kit 2 - 5000 PSI Includes:

- Teflon Tape
- Hose, 5000 PSI 3/8 x 50', R2
- QC Nozzle, SS 1/4" #4.0x15
- Coupler, 3/8" Female brass
- Wand, 18" M22 x 1/4" QC
- Gun, S2 3/8" inlet, Lance w/M22 coupler

Order No: 8.903-455.0

List Price: \$263.00

Quick Couplers: The fast and easy way to attach wands and nozzles



Shark quick couplers are the easy way to attach high-pressure nozzles and hoses. Couplers are made of brass and withstand pressures of up to 3500 PSI. Nipples are a zinc-plated, hardened steel also rated for up to 3500 PSI.

Features

- Precision design
- For spray pressure of up to 3500 PSI
- Made of rust-free materials

A	Order No.	Size	Function	Thread	List Price
	9.802-164.0	1/4"	Coupler	Female	\$4.20
	9.802-165.0	1/4"	Coupler	Male	\$4.20
	9.802-166.0	3/8"	Coupler	Female	\$4.90
	9.802-169.0	3/8"	Coupler	Male	\$4.90

B	Order No.	Size	Function	Thread	List Price
	8.707-136.0	1/4"	Nipple	Female	\$1.00
	8.707-139.0	1/4"	Nipple	Male	\$1.05
	9.802-170.0	3/8"	Nipple	Female	\$1.25
	9.802-171.0	3/8"	Nipple	Male	\$1.25

C	Order No.	Description	List Price
	8.902-421.0	Two Gun Tee Coupler	\$39.05

Parts Box: Quick access to the most commonly used replacement parts for Shark pressure washers



Keep replacement parts at the tip of your fingers with the Shark Parts Box. It includes an assortment of the most commonly used replacement parts conveniently sorted in a heavy-duty tote box. (Individual parts in the box are listed below with costs.)

List Price: \$358.00

Order No. 8.903-421.0

Old No.	Order No.	Description	List Price For Each	Quantity Per Kit
2-2000	9.802-164.0	1/4" Female Quick Coupler	\$4.20	4
2-2001	9.802-165.0	1/4" Male Quick Coupler	\$4.20	4
2-2002	9.802-166.0	3/8" Female Quick Coupler	\$4.90	4
2-2003	9.802-169.0	3/8" Male Quick Coupler	\$4.90	4
2-2006	9.802-170.0	3/8" Female Plug	\$1.25	4
2-1902	9.804-016.0	Water Inlet Strainer	\$0.51	4
2-0121	9.802-100.0	3/8" HNBR O-Ring	\$0.58	20
2-0119	9.802-096.0	1/4" HNBR O-Ring	\$0.54	20
4-12803015	9.802-288.0	3.0 15° Spray Nozzle	\$5.25	4
4-12803025	9.802-289.0	3.0 25° Spray Nozzle	\$5.25	4

Old No.	Order No.	Description	List Price For Each	Quantity Per Kit
4-12803515	9.802-292.0	3.5 15° Spray Nozzle	\$5.25	4
4-12804015	9.802-296.0	4.0 15° Spray Nozzle	\$5.30	4
4-12804025	9.802-297.0	4.0 25° Spray Nozzle	\$5.25	4
4-16540	9.802-311.0	65° Soap Nozzle	\$4.25	4
2-10942	9.802-146.0	Inlet Swivel with Strainer	\$6.15	1
2-2007	9.802-171.0	3/8" Male Plug	\$1.25	4
2-3409	9.802-192.0	Rupture Disk	\$45.80	1
2-30082	9.802-182.0	1/2" Thermal Relief Valve	\$8.60	2
2-1904	9.802-160.0	Detergent Tube Strainer	\$2.80	4

Twist Seal couplers: Allow U.S. standard hose to connect to European (22mm fittings)



Order No.	Description	List Price
8.709-522.0	1/4" FPT	\$6.35
8.709-530.0	3/8" FPT	\$6.55
9.802-173.0	1/4" MPT	\$7.35
8.709-526.0	3/8" MPT	\$6.80

O-Rings




Order No.	Description	List Price
8.706-703.0	O-Rings: 4- 3/8" & 6- 1/4"	\$10.60
9.802-096.0	O-Rings, 1/4" (Individual)	\$0.54
9.802-100.0	O-Rings, 3/8" (Individual)	\$0.58

Fuel Filter / Water Separator



Order No.	Description	List Price
8.725-306.0	Complete Unit	\$60.65
8.725-307.0	Element Only	\$19.15

Test Gauges: Monitor operational pressure and temperature




These high-quality gauges attach to various components on the pressure washer to monitor fuel or water pressure as well as water temperature for maintenance purposes.

Features

- Quick couples to discharge
- Glycerin filled gauges

	Order No.	Description	PSI	List Price
A	8.712-208.0	Pressure Gauge Kit	0-5,000	\$30.00
B	8.904-558.0	Pressure/Temperature Test Set	0-10,000	\$102.00

UNLOADERS: Relieve line pressure in bypass mode



Order No.	Description	List Price
9.175-018.0	Universal Unloader	\$120.00
9.803-899.0	Unloader for Legacy pumps	\$106.00
9.803-900.0	Unloader for Legacy pumps	\$126.00

Standard Nozzles: Replacements for Shark pressure washers




Make sure you ask for genuine Shark replacement nozzles. Made of hardened stainless steel and color-coded for ease of selecting, these nozzles come in convenient bubble packs containing the four most commonly used fan sprays: 0°, 15°, 25° and 40° plus a soap nozzle.

Features

- Packets: 4 high-pressure, 1 soap nozzle
- Made of hardened stainless steel
- Color-coded for ease in selecting

Order No.	Size	Description of Package Contents	List Price
8.708-719.0	3	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60
9.104-014.0	3.5	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60
8.708-721.0	4	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60
9.104-015.0	4.5	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60
8.708-723.0	5	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60
8.708-724.0	5.5	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60
8.708-725.0	6	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60
8.711-267.0	7	SET OF 5: 0°, 15°, 25°, 40°, Soaper	\$30.60

Rotary Nozzles: Legacy's Revolution attaches to all pressure washers



The Legacy Revolution rotary nozzle is rated for up to 4350 PSI at 185°F. Turning at an astounding 4000 RPM, the Revolution delivers faster and deeper cleaning action for the price of a 3000 PSI rotary nozzle.

Features

- Greater cleaning power
- Longer operating life
- Extra durable and versatile

Nozzles			
Order No.	Orifice	PSI	List Price
9.302-242.0	3.5	4350	\$86.45
9.302-243.0	4.0	4350	\$87.30
9.302-244.0	4.5	4350	\$87.30
9.302-245.0	5.0	4350	\$87.30
9.302-246.0	5.5	4350	\$87.30
9.302-247.0	6.5	4350	\$86.45
9.302-248.0	7.0	4350	\$86.45
9.302-249.0	10.0	4350	\$86.45

Repair Kits		
Order No.	Orifice	List Price
2.884-972.0	3.5	\$59.45
2.883-824.0	4.0	\$59.45
9.302-231.0	4.5	\$59.45
2.883-823.0	5.0	\$59.45
2.883-822.0	5.5	\$59.45
9.302-234.0	6.5	\$59.45
2.884-974.0	7.0	\$59.45
2.884-975.0	10.0	\$59.45

Nozzle Filter: Protects rotary nozzle from being damaged by debris



This nozzle filter, with its 100-mesh screen, is attached between the rotary nozzle (see listing above) and the wand to filter out and prevent debris from damaging the ceramics in the rotary nozzle thus extending the life of the rotary nozzle. It is rated to handle flow pressure of up to 5000 PSI.

Features

- 1/4" MPT outlet
- 300°F maximum temperature
- 100-mesh screen

Order No.	Made Of	Inlet	Outlet	List Price
8.710-149.0	416 Stainless Steel	1/4-inch QC	1/4-inch MPT	\$21.35

Nozzle Size Selection Chart


Determine the nozzle size by the pressure washer's GPM @ PSI (gallons per minute @ a specific pounds per square inch). If the nozzle size is too small, your equipment can be damaged. If the nozzle size is too large, cleaning ability is compromised. Nozzle fan degree does not effect nozzle size selection.

Standard Nozzle Size	Hole Size	Pounds Per Square Inch (PSI)																
		500	750	1000	1250	1500	1750	2000	2250	2500	2750	3000	3250	3500	3750	4000	4500	5000
2	.034"/0.86mm	0.71	0.87	1.00	1.12	1.22	1.32	1.41	1.50	1.58	1.66	1.73	1.80	1.87	1.94	2.00	2.12	2.24
2.5	.042"/1.07mm	0.88	1.08	1.25	1.40	1.53	1.65	1.77	1.88	1.98	2.07	2.17	2.25	2.34	2.42	2.50	2.65	2.80
3	.043"/1.09mm	1.06	1.30	1.50	1.68	1.84	1.98	2.12	2.25	2.37	2.49	2.60	2.70	2.81	2.90	3.00	3.18	3.35
3.5	.048"/1.22mm	1.24	1.52	1.75	1.96	2.14	2.32	2.47	2.63	2.77	2.90	3.03	3.15	3.27	3.39	3.50	3.71	3.91
4	.052"/1.32mm	1.41	1.73	2.00	2.24	2.45	2.65	2.83	3.00	3.16	3.32	3.46	3.61	3.74	3.87	4.00	4.24	4.47
4.5	.055"/1.40mm	1.59	1.95	2.25	2.52	2.76	2.98	3.18	3.38	3.56	3.73	3.90	4.06	4.21	4.36	4.50	4.77	5.03
5	.057"/1.45mm	1.77	2.17	2.50	2.80	3.06	3.31	3.54	3.75	3.95	4.15	4.33	4.51	4.68	4.84	5.00	5.30	5.59
5.5	.060"/1.52mm	1.94	2.38	2.75	3.07	3.37	3.64	3.89	4.13	4.35	4.56	4.76	4.96	5.14	5.33	5.50	5.83	6.15
6	.062"/1.57mm	2.12	2.60	3.00	3.35	3.67	3.97	4.24	4.50	4.74	4.97	5.20	5.41	5.61	5.81	6.00	6.36	6.71
6.5	.064"/1.63mm	2.30	2.81	3.25	3.63	3.98	4.30	4.60	4.88	5.14	5.39	5.63	5.86	6.08	6.29	6.50	6.89	7.27
7	.067"/1.70mm	2.47	3.03	3.50	3.91	4.29	4.63	4.95	5.25	5.53	5.80	6.06	6.31	6.55	6.78	7.00	7.42	7.83
7.5	.070"/1.78mm	2.65	3.25	3.75	4.19	4.59	4.96	5.30	5.63	5.93	6.22	6.50	6.76	7.02	7.26	7.50	7.95	8.39
8	.072"/1.83mm	2.83	3.46	4.00	4.47	4.90	5.29	5.66	6.00	6.32	6.63	6.93	7.21	7.48	7.75	8.00	8.49	8.94
8.5	.074"/1.88mm	3.01	3.68	4.25	4.75	5.21	5.62	6.01	6.38	6.72	7.05	7.36	7.66	7.95	8.23	8.50	9.02	9.50
9	.076"/1.93mm	3.18	3.90	4.50	5.03	5.51	5.95	6.36	6.75	7.12	7.46	7.79	8.11	8.42	8.71	9.00	9.55	10.06
9.5	.078"/1.98mm	3.36	4.11	4.75	5.31	5.82	6.28	6.72	7.13	7.51	7.88	8.23	8.56	8.89	9.20	9.50	10.08	10.62
10	.080"/2.03mm	3.54	4.33	5.00	5.59	6.12	6.61	7.07	7.50	7.91	8.29	8.66	9.01	9.35	9.68	10.00	10.61	11.18
11	.083"/2.11mm	3.89	4.76	5.50	6.15	6.74	7.28	7.78	8.25	8.70	9.12	9.53	9.92	10.29	10.65	11.00	11.67	12.30
12	.087"/2.21mm	4.24	5.20	6.00	6.71	7.35	7.94	8.49	9.00	9.49	9.95	10.39	10.82	11.22	11.62	12.00	12.73	13.42
12.5	.089"/2.26mm	4.42	5.41	6.25	6.99	7.65	8.27	8.84	9.38	9.88	10.36	10.83	11.27	11.69	12.10	12.50	13.26	13.98
13	.091"/2.31mm	4.60	5.63	6.50	7.27	7.96	8.60	9.19	9.75	10.28	10.78	11.26	11.72	12.16	12.59	13.00	13.79	14.53
15	.096"/2.44mm	5.30	6.50	7.50	8.39	9.19	9.92	10.61	11.25	11.86	12.44	12.99	13.52	14.03	14.52	15.00	15.91	16.77
20	.109"/2.77mm	7.07	8.66	10.00	11.18	12.25	13.23	14.14	15.00	15.81	16.58	17.32	18.03	18.71	19.36	20.00	21.21	22.36
25	.125"/3.18mm	8.84	10.83	12.50	13.98	15.31	16.54	17.68	18.75	19.76	20.73	21.65	22.53	23.39	24.21	25.00	26.52	27.95
30	.141"/3.58mm	10.61	12.99	15.00	16.77	18.37	19.84	21.21	22.50	23.72	24.87	25.98	27.04	28.06	29.05	30.00	31.82	33.54
40	.156"/3.96mm	14.14	17.32	20.00	22.36	24.49	26.46	28.28	30.00	31.62	33.17	34.64	36.06	37.42	38.73	40.00	42.43	44.72
50	.172"/4.37mm	17.68	21.65	25.00	27.95	30.62	33.07	35.36	37.50	39.53	41.46	43.30	45.07	46.77	48.41	50.00	53.03	55.90
60	.188"/4.78mm	21.21	25.98	30.00	33.54	36.74	39.69	42.43	45.00	47.43	49.75	51.96	54.08	56.12	58.09	60.00	63.64	67.08

Nozzle Fan Selection

Select the nozzle degree, or spray angle, based on your application. Standard nozzle degrees – 0°, 15°, 25° and 40°. Using the wrong nozzle degree can damage the surface you are cleaning.

0° – Red:



Cutting nozzle. It delivers a concentrated stream that can gouge or cut. It can cut stubborn stains from concrete and other hard surfaces.

15° – Yellow:



Chiseling nozzle. Working at a 45° angle, this nozzle works like a scraper, stripping paint, grease and grime from hard surfaces.

25° – Green:



Flushing nozzle. The most commonly used nozzle for cleaning dirt from siding, sidewalks and metal furniture as well as for wet sweeping leaves.

40° – White:



Wash nozzle. Its wide spray allows you to wash and rinse a large area fast. It is usually safe with most surfaces, including aluminum siding, windows and vehicles.

Pressure Washer Sales Center

MACHINES • ACCESSORIES • DETERGENTS • PARTS

Position your company to capture the lucrative commercial pressure washer business. The Shark Pressure Washer Sales Center will appeal to professionals looking for the best performing equipment or accessories for their existing equipment.

It is set up to sell!

This attractive, heavy duty display rack goes together quickly using only four bolts and can be set up as an island or against a wall using very little floor space.

- Small footprint
- Easy to set up
- Versatile
- Increase sales




*Shown with optional accessories.
Pressure washer machines not included.*

Shark's Pressure Washer Sales Center is available in a variety of packages that include our best-selling accessories such as:

- Flat surface cleaners
- High-pressure hoses
- A variety of popular detergents
- Pressure nozzles
- And much more!



Surface Cleaner - cleans flat surfaces up to 3 times faster than a wand, and without "striping".
See page 32 for details and pricing on individual surface cleaners.



Parts hooks are easy to install on pegboard, and allow flexibility in display.

Ask your Shark Representative how to create your own pressure washer store-within-a-store. **CALL NOW!**

Shark's Pressure Washer Sales Center comes complete with:

- Rack, signage, display hooks and shelves
- 21" surface cleaner
- Pump oil and general purpose detergent
- Most popular pre-packaged parts including nozzles, guns, wands, hose and couplers

Parts fit most pressure washer brands!



9.801-692.0

Pressure Washer Sales Center Kit

List price

\$2868.00

PART NUMBER*	ITEM	QTY
SURFACE CLEANERS / ATTACHMENTS		
8.753-572.0	Surface Cleaner 21"	1
GUNS / WANDS		
8.922-197.0	Pressure Wash gun 5000 psi 10 gpm	2
8.922-202.0	36" Lance	2
HOSES		
8.922-209.0	50' 3/8" Bk PW Hose, QC/Nipple	1
NOZZLES		
8.922-243.0	Nozzle Kit 5-pk QC 1/4" #3.0	2
8.922-244.0	Nozzle Kit 5-pk QC 1/4" #3.5	2
8.922-245.0	Nozzle Kit 5-pk QC 1/4" #4.0	2
8.922-246.0	Nozzle Kit 5-pk QC 1/4" #4.5	2
DETERGENTS		
8.901-080.0	Pump Oil	1
9.558-998.0	Karcher pump guard	3
8.698-026.0	SHARK 12x1.5# PWDR GENERAL PURPOSE CLNR	1
MISC		
8.922-267.0	Chemical Injector 3-5 gpm '2A'	1
8.922-271.0	Chem Filter Brass 50X w/ checkvalve	2
8.922-272.0	Fuel filter 1/4" in/out plastic	2
8.922-275.0	Teflon Tape 2-pk, 1/2" x 520"	2
8.922-291.0	Protective goggles	1

PART NUMBER	ITEM	QTY
COUPLERS		
8.922-213.0	Coupler 2-pack 1/4" Female Stainless	1
8.922-214.0	Coupler 2-pack 1/4" Male Stainless	1
8.922-215.0	Coupler 2-pack 3/8" Female Stainless	1
8.922-216.0	Coupler 2-pack 3/8" Male Stainless	1
8.922-217.0	Coupler 2-pack 1/4" Plug Female Zinc	1
8.922-218.0	Nipple 2-pack 1/4" Female Stainless	1
8.922-219.0	Coupler 2-pack 1/4" Plug Male Zinc	1
8.922-220.0	Nipple 2-pack 1/4" Male Stainless	1
8.922-221.0	Nipple 2-pack 3/8" Female Stainless	1
8.922-222.0	Nipple 2-pack 3/8" Male Stainless	1
8.922-227.0	Coupler 2-pk 1/4" Socket Female Brass	1
8.922-228.0	Coupler 2-pk 1/4" Socket Male Brass	1
8.922-229.0	Coupler 2-pk 3/8" Socket Fem Brass	1
8.922-230.0	Coupler 2-pk 3/8" Socket Male Brass	1
8.922-231.0	Coupler 2-pk 3/8" Plug Female Zinc	1
8.922-232.0	Coupler 2-pk 3/8" Plug Male Zinc	1
8.922-233.0	O-ring 10-pk QC EPDM 1/4" to 280 Degr	1
8.922-234.0	O-ring 10-pk EPDM 112/70	1
8.922-235.0	Swivel 1/4" MxF 10.5 gpm 5600 psi SS	1
8.922-236.0	Swivel 3/8" MxF 10.5 gpm 5600 psi SS	1

NOTE: Kits do not include pressure washer machines.

*Use part numbers to replenish your parts rack inventory.

*Free freight within lower 48 states only.

Detergents: Formulated for safe, fast and effective cleaning



Shark Detergents are highly concentrated and made with non-butyl blend of ingredients formulated to provide a non-caustic, low-foaming detergent for a broad range of uses on many surfaces. All detergents are engineered specifically to be metered through a hot- or cold-water pressure washer with a high dilution ratio, making the cost-in-use very economical. Plus, all Shark detergents are biodegradable.

Paint Prep

Shark Paint Prep provides a clean, paint ready surface for professional results. Especially effective on painted wood and vinyl siding that has accumulations of chalky, oxidized paint and soil from air pollution and industrial smoke.

Part Number	Contents	Ship Weight	List Price
8.698-022.0	Case of 12 x 1.5-Lb. Jars (Powder Concentrate)	22 lbs	\$147.50

House, Deck & Fence Wash

Ideal product for cleaning and enhancing the appearance of the home and wooden decks and fences. Great to use every spring after harsh winters and the crucial step before the re-staining of decks and fences.

Part Number	Contents	Ship Weight	List Price
8.698-021.0	Case of 4 x 1-Gallon Jugs (Liquid)	38 lbs	\$49.20

Vehicle Wash

Designed to quickly and effectively remove dirt, grime, grease and road film from all types of road vehicles. Vehicle Wash is ideal for vehicle wash facilities where it can be used on tractor-trailers, heavy equipment, shop floors, metal or plastic tanks, RVs, trucks, and autos.

**Additional shipping fees may apply, cannot be shipped via air freight.*

Part Number	Contents	Ship Weight	List Price
8.698-024.0	Case of 4 x 1-Gallon Jugs (Liquid)	38 lbs	\$49.20

Heavy Duty Equipment and Concrete Cleaner

Formulated to wet, penetrate, and suspend soil, oils and grease for faster, more thorough cleaning effectiveness. Can be used safely on many surfaces, including aluminum, stainless steel, glass, plastic, paint and even fine automotive paint finishes. Ideal for cleaning engines, motors, heavy equipment, farm implements and other objects with high grease content.

**Additional shipping fees may apply, cannot be shipped via air freight.*

Part Number	Contents	Ship Weight	List Price
8.698-023.0	Case of 4 x 1-Gallon Jugs (Liquid)	39 lbs	\$49.20

General Purpose Cleaner

General Purpose Cleaner can be used safely on virtually every surface, including aluminum, stainless steel, glass, plastic, paint and fine automotive paint finishes. Ideal for general purpose cleaning around a home or shop, including exterior walls, decks, driveways, and roofs. It is also effective in cleaning machinery, equipment, cars, RVs, and trucks. All-Purpose Cleaner is safe for cleaning indoors or outdoors.

**Additional shipping fees may apply, cannot be shipped via air freight.*

Part Number	Contents	Ship Weight	List Price
8.698-025.0	Case of 4 x 1-Gallon Jugs (Liquid)	38 lbs	\$49.20
8.698-026.0	Case of 12 x 1.5-Lb. Jars (Powder Concentrate)	22 lbs	\$147.50



Aluminum Brightener (KD-460)

An extra-strength, acid-based, aluminum brightener designed to tackle the toughest cleaning of truck trailers, aluminum wheels and for preparing aluminum for painting. Do NOT use on glass, polished aluminum or anodized aluminum. It uses ammonium bifluoride, not hydrofluoric acid, and is non-fuming, yet effective in removing grease, oils, baked-on carbon and diesel smoke.

**Additional shipping fees may apply, cannot be shipped via air freight.*

Part Number	Contents	Ship Wt	List Price
9.803-746.0	5-Gallon Pail	50 lbs	\$63.00
9.803-747.0	55-Gallon Drum	537 lbs	\$512.00



Polished Aluminum Cleaner (KD-480)

A concentrated, non-etching detergent formulated to quickly penetrate and remove grease, grime, dirt, road film and welding smut from polished aluminum and stainless steel surfaces.

Part Number	Contents	Ship Wt	List Price
9.803-748.0	5-Gallon Pail	48 lbs	\$63.00
9.803-749.0	55-Gallon Drum	521 lbs	\$537.00



Acid-Based Coil Cleaner (KD-420)

A powerful, acid-based coil cleaner that effectively attacks rust and hard water deposits in pressure washer hot water coils. It does not contain mineral acids, such as hydrochloric (muriatic), sulfuric and hydrofluoric acids that are commonly used in other coil conditioners and is formulated so it can safely pass through a pressure washer without damaging the high-pressure pump. Do NOT use on aluminum or tin.

Part Number	Contents	Ship Wt	List Price
9.803-742.0	Case of 12 x 2-lb (powder concentrate)	28 lbs	\$146.00



Pump Guard

Pump Guard provides freeze protection down to -25°F. Environmentally friendly, it's specifically formulated to prolong the life of your pressure washer by protecting it from corrosion, premature wear and freezing (down to -25° F).

Part Number	Contents	Ship Wt	List Price
9.558-998.0	16-ounce	1 lbs	\$8.00



Graffiti Removers

Easy to apply liquid formulas with deep penetrating action designed to remove graffiti from a variety of surfaces.

Part Number	Contents	Ship Wt	List Price
8.698-039.0	Brick, Masonry & Concrete Cleaner (case of 4 x 1-Gal jugs)	34 lbs	\$279.00
8.698-040.0	Brick, Masonry & Concrete Cleaner (case of 12 x 1-Qt bottles)	27 lbs	\$258.00
8.698-041.0	Metal Saver (case of 4 x 1-Gal jugs)	34 lbs	\$284.00
8.698-042.0	Metal Saver (case of 12 x 1-Qt bottles)	27 lbs	\$273.00



RESTORATION PRODUCTS

Cold Water PW

Hot Water PW

Trailers

Jetters

Accessories

Restoration

Floor Care

Water Treatment

Wash Pads

Airmover 3



- 1/2 hp
- Built-in carpet clip
- Up to 3,000 cfm for fast drying
- 3 speeds of air movement
- 3 standing positions
- ETL certified to UL safety standards

Order No.	Description	List Price
1.004-027.0	Airmover 3	\$270.00

Windhandler 3 Blowers



- 1/2 hp
- Built-in carpet clip
- Up to 3,000 cfm for fast drying
- Windhandler includes upright handle and transport wheels
- 3 speeds of air movement

Order No.	Description	List Price
1.004-015.0	Windhandler 3	\$306.00

Triad Air Mover

Triad refers to Triple Advantage, which combines high-performance, ergonomics, and space savings.

- Low 1.48 amp draw
- Slim design allows easy transportation
- 3 standable positions
- Optimized CFM, static pressure and air velocity
- 55% more efficient in performance/amp than competitors
- Ductable intake and exhaust



Order No.	Description	List Price
1.004-035.0	Triad Air Mover	\$308.00

Triad AFD

The Triad AFD is easily portable and offers the best space maximization. It delivers the highest CFM/Air exchange performance in its class with no increase in power requirements.

- Removes at least 99.97% of airborne particles
- Highest CFM/air exchange performance in its class
- Removes smoke and odors
- Low 1.48 amp draw
- Multifunctional capabilities



Order No.	Description	List Price
1.007-902.0	Triad AFD Air Mover	\$640.50



SG2 C Bp Gum Remover

The Kärcher SG2 C Bp is the innovative new solution that vaporizes gum with heat. Safe to use on stone, concrete and even carpet. Great for maintaining shopping malls, schools, train stations, airports and supermarkets vaporizes gum with heat. Safe to use on stone, concrete and even carpet.

- Vaporize gum in seconds
- Biodegradable extract dissolves gum without residue
- Ultimate portability
- No cords or water
- Up to 8 hours battery life
- Lighter weight than many backpack systems



Model	Order No.	Description	List Price
SG2 C Bp	8.751-300.0	Gum Remover	\$4162.00

CHARIOT iSCRUB 20: 20" Stand-On Floor Scrubber



- 50% more productive than conventional walk-behind scrubbers!
- Tight turning radius - 48"
- Aqua-Mizer technology saves on water and solution
- models feature an external fill port for quick access to fill solution tank

Order No.	Description	List Price
20" iSCRUB w/ 21A On-Board Battery Charger		
9.840-811.0	3-12V / 130 A/H batteries w/ pad driver	\$7,533.00
9.840-813.0	3-12V / 114 A/H AGM batteries w/ pad driver	\$8,179.00
9.840-815.0	3-12V / 130 A/H batteries w/ poly brush	\$7,533.00
9.840-817.0	3-12V / 114 A/H AGM batteries w/ poly brush	\$8,179.00

20" iSCRUB DELUXE w/ 21A On-Board Battery Charger

9.840-901.0	3-12V / 114 A/H AGM batteries w/ pad driver	\$8,473.00
9.840-905.0	3-12V / 114 A/H AGM batteries w/ poly brush	\$8,473.00

CHARIOT 2 iSCRUB 22: 22" Cylindrical Stand-On Scrubber



- Cylindrical counter-rotating brushes incorporate sweeping and brushing in one pass
- 10-gallon solution and recovery tanks
- Outside fill port
- Ships with white brushes

Order No.	Description	List Price
9.840-938.0	3-12V / 130 A/H batteries, automatic charger	\$10,040.00
9.840-940.0	3-12V / 114 A/H AGM batteries	\$11,111.00
9.840-941.0	3-12V / 114 A/H batteries w/ on-board charger	\$11,328.00

- **COMPLETE FULL LINE OF COMMERCIAL & INDUSTRIAL MACHINES AVAILABLE**
- **MANY OTHER SIZES AND CONFIGURATIONS AVAILABLE - CALL FOR DETAILS**

CHARIOT 3 iSCRUB 26: 26" Stand-On Scrubber



- More than 2 times the productivity of walk-behind scrubbers!
- EcoMode and EcoPlus Mode offers quiet cleaning
- Aqua-Mizer technology saves on water and solution
- Easy to transport - fits in an elevator

Order No.	Description	List Price
Chariot 3 26" iSCRUB w/ On-Board Battery Charger		
9.841-012.0	205 A/H batteries w/ poly brush	\$11,832.00
9.841-011.0	225 A/H batteries w/ poly brush	\$12,040.00
9.841-013.0	234 A/H AGM batteries w/ poly brush	\$13,500.00
9.841-147.0	205 A/H batteries w/ pad driver	\$11,832.00
9.841-146.0	225 A/H batteries w/ pad driver	\$12,040.00
9.841-148.0	234 A/H AGM batteries w/ pad driver	\$13,500.00

Chariot 3 26" iSCRUB w/ Chemical Metering and On-Board Battery Charger

9.841-044.0	205 A/H batteries w/ poly brush MC	\$12,614.00
9.841-043.0	225 A/H batteries w/ poly brush MC	\$12,822.00
9.841-045.0	234 A/H AGM batteries w/ poly brush MC	\$14,281.00
9.841-155.0	205 A/H batteries w/ pad driver MC	\$12,614.00
9.841-154.0	225 A/H batteries w/ pad driver MC	\$12,822.00
9.841-156.0	234 A/H AGM batteries w/ pad driver MC	\$14,281.00

CHARIOT 3 iSCRUB 26 SP: 26" Cylindrical Stand-On Scrubber



- More than 2 times the productivity of walk-behind scrubbers!
- EcoMode and EcoPlus Mode offers quiet cleaning
- Aqua-Mizer technology saves on water and solution
- Easy to transport - fits in an elevator

Order No.	Description	List Price
Chariot 3 26" SP iSCRUB w/ On-Board Battery Charger		
9.841-018.0	205 A/H batteries	\$13,083.00
9.841-017.0	225 A/H batteries	\$13,291.00
9.841-019.0	234 A/H AGM batteries	\$14,751.00

Chariot 3 26" iSCRUB w/ Chemical Metering and On-Board Battery Charger

9.841-050.0	205 A/H batteries MC	\$13,864.00
9.841-049.0	225 A/H batteries MC	\$14,073.00
9.841-051.0	234 A/H AGM batteries MC	\$15,532.00

CHARIOTS | STAND-ON FLOOR CARE EQUIPMENT

Cold Water PW

Hot Water PW

Trailers

Jetters

Accessories

Restoration

Floor Care

Water Treatment

Wash Pads

CHARIOT 2 iGLOSS 20: Small Platform Burnisher



- 20-inch, 2000 rpm burnisher
- Offers smaller Chariot platform maneuverability and productivity
- Patent-pending spring-loaded weighted pad
- Available in passive or active dust control

Order No.	Description	List Price
Chariot 2 20" iGLOSS w/ PASSIVE Dust Control		

9.841-074.0	3-12V / 130 A/H batts, automatic charger	\$8,584.00
9.841-075.0	3-12V / 114 A/H AGM batts, automatic charger	\$9,578.00
9.841-076.0	3-12V / 114 A/H AGM batts, on-board charger	\$9,926.00
9.841-080.0	3-12V / 225 A/H batts, automatic charger	\$9,875.00
9.841-081.0	3-12V / 234 A/H AGM batts, automatic charger	\$11,803.00
9.841-082.0	3-12V / 234 A/H AGM batts, on-board charger	\$12,118.00

Chariot 2 20" iGLOSS w/ ACTIVE Dust Control

9.841-086.0	3-12V / 225 A/H batts, automatic charger	\$11,159.00
9.841-087.0	3-12V / 234 A/H AGM batts, automatic charger	\$12,118.00
9.841-088.0	3-12V / 234 A/H AGM batts, on-board charger	\$12,439.00

CHARIOT iGLOSS: Large Platform Burnisher



- 20-inch, 2600 rpm burnisher
- Flexible pad driver
- Toggle switch to lower burnisher deck
- Dust control system
- On-board storage compartment

Order No.	Description	List Price
20" iGLOSS		

9.840-046.0	3-12V / 205 A/H batts, 36V/21A C175 automatic charger	\$12,977.00
9.840-047.0	3-12V / 225 A/H batts, 36V/21A C175 automatic charger	\$13,309.00
9.840-045.0	3-12V / 234 A/H AGM batts, 36V/21A dual mode automatic charger	\$14,238.00

20" iGLOSS w/ PRODUCTIVITY PLUS VALUE PACK (comes w/ 2 battery packs)

9.840-050.0	2 x 3 pack-12V / 205 A/H batts, 36V/21A C175 automatic charger	\$15,983.00
9.840-051.0	2 x 3 pack-12V / 225 A/H batts, 36V/21A C175 automatic charger	\$16,315.00
9.840-049.0	2 x 3 pack-12V / 234 A/H AGM batts, 36V/21A dual mode automatic charger	\$18,357.00

CHARIOT iVAC: 24" or 34" Stand-On HEPA Vacuum



- Vacuums carpet, tile, wood, concrete, stone, rubber, VCT
- 8" standard side broom
- HEPA filtration standard
- On-board tool storage
- 68 dBA - quiet operation
- Comes standard with a 10' hose and 2-piece hand tool set for off-aisle cleaning

Order No.	Description	List Price
24" iVAC		

9.840-913.0	3-12V / 140 A/H batteries	\$9,193.00
9.840-914.0	3-12V / 114 A/H AGM batteries	\$9,924.00
9.840-916.0	3-12V / 114 A/H AGM batteries w/ on-board charger	\$10,109.00

34" iVAC

9.840-932.0	3-12V / 205 A/H batteries	\$14,767.00
9.840-933.0	3-12V / 225 A/H batteries	\$15,188.00
9.840-931.0	3-12V / 234 A/H AGM batteries	\$16,680.00

CHARIOT 3 iEXTRACT 26



- 25-gallon capacity
- Productive deep restorative extraction
- Two speed settings
- 100 PSI high-pressure pump
- Two 800 rpm dual counter-rotating cylindrical brushes
- Weighted dual vacuum shoes w/ dual motors

Order No.	Description	List Price
26" iEXTRACT w/ Self Charger		

9.841-214.0	Chariot 3 iExtract 26 DU0, 205 A/H	\$14,531.00
9.841-215.0	Chariot 3 iExtract 26 DU0, 225 A/H	\$14,778.00
9.841-216.0	Chariot 3 iExtract 26 DU0, 234 A/H AGM	\$15,887.00

26" iEXTRACT w/ On-Board Charger

9.841-217.0	Chariot 3 iExtract 26 DU0, 205 A/H	\$14,939.00
9.841-218.0	Chariot 3 iExtract 26 DU0, 225 A/H	\$15,186.00
9.841-219.0	Chariot 3 iExtract 26 DU0, 234 A/H AGM	\$16,295.00

Presto 3



- 1.16 hp, two-stage vac motor
- 55 psi pump
- 2 gallon (7.6 ltr.) solution and recovery tanks
- Clear 4" (102 mm) wide hand tool
- The Presto 3 Deluxe includes both clear hand tool and Double Dry hand tool

Order No.	Description	List Price
9.840-068.0	Presto 3 extractor w/ standard hand tool	\$777.00
9.840-069.0	Presto 3 Deluxe extractor w/ standard and Double Dry hand tool	\$1,091.00

Priza: Mini Extractor with Spray Wand



- Adjustable upright spray wand
- Hand wand
- 2.6 gal. solution tank
- 2.4 gal. recovery tank
- 0.26 gallon (0.1 ltr.)/min spray rate
- 11.4 cfm (54 ltr./s)
- Removable recovery tank
- 88 inch waterlift

Order No.	Description	List Price
1.100-122.0	Priza extractor w/ 8.2' hose, wand & hand tool	\$1,026.00

Mini Pro: Most Popular Small Area Extractor



- 10.5" (267 mm) cleaning path
- 12.5" (314 mm) cast aluminum vac shoe
- 25' power cable
- 1.5 hp, three-stage vac motor
- Brush assist
- Floating brush deck
- Adapts for accessory cleaning tools
- ETL approved

Order No.	Description	List Price
1.008-039.0	Mini Pro 4-gal extractor	\$1,855.00
8.629-036.0	Hose & hand tool kit with bag	\$258.26

Cadet 7



- 15" (380 mm) cleaning path
- 17" (430 mm) floating vac shoe
- 50' power cable
- 1/3 hp, three-stage vac motor
- 73 psi solution pump
- Adapts for accessory cleaning tools
- 8-position brush height adjustment
- Brush assist
- Spring-loaded floating vac shoe
- UL Listed to U.S. and Canadian safety standards

Order No.	Description	List Price
1.008-022.0	Cadet 7 (7-gal) extractor	\$2,827.00

Clipper Duo



- 16" (508 mm) cleaning path
- 10-gallon capacity
- Dual counter-rotating brushes
- On-board cleaning tool w/ 8 ft hose
- Floating brush deck
- Brush assist drive system
- 18" floating vac shoe
- UL Listed to U.S. and Canadian safety standards

Order No.	Description	List Price
1.008-048.0	Clipper Duo	\$4,484.00

Zephyr Steam Cleaner: For Commercial Steam Cleaning Applications



- Heats quickly, allowing for constant refilling without the unit cooling down
- 1/2-gal capacity
- 2-tank system (boiler & refill tank)
- Dual Boiler tank heating elements (1500W & 750W)
- 209°F average water temp

Comes with steam gun, extension tube, floor nozzle, carpet adapter, cloth set, hand nozzle, circular brush, spot nozzle & fill funnel

Order No.	Description	List Price
1.092-803.0	Zephyr Professional Steam Cleaner	\$1,493.00
9.840-860.0	Zephyr Professional Steam Cleaner w/ Cart	\$1,883.00

VACUUMS | UPRIGHT AND BACKPACK

Cold Water PW

Hot Water PW

Trailers

Jetters

Accessories

Restoration

Floor Care

Water Treatment

Wash Pads

The Sensor is the only vacuum to offer superior upright vacuuming technology that protects itself from operator neglect. The Sensor gives you the assurance of a two year warranty on the brush and vacuum motor, and a lifetime warranty on belts.

Sensor S: Upright Vacuum



- Powerful Sensor S models feature 1,200 watt vacuum motor
- Manual brush height adjustment
- Electronic control system warns operator if bag is full or brush is jammed
- Motor turns off to prevent damage if warnings are ignored
- 3-stage 0.3 micron filtration efficiency over 99%
- Optional HEPA filter
- Available in 12" and 15"
- Ultra-light handle weight
- UL Listed to U.S. and Canadian safety standards

Current #	Description	List Price
1.012-021.0	Sensor S 12" (300 mm) Upright Vacuum	\$561.00
1.012-022.0	Sensor S 15" (380 mm) Upright Vacuum	\$675.00

Sensor XP: Upright Vacuum



- Powerful Sensor XP models feature 1,200 watt vacuum motor
- Automatic Vacuuming System automatically adjusts brush height for peak efficiency on any surface
- Electronic control system warns operator if bag is full or brush is jammed
- Motor turns off to prevent damage if warnings are ignored
- 3-stage 0.3 micron filtration efficiency over 99%
- Optional HEPA filter
- Ultra-light handle weight
- Available in 12", 15" and 18"
- UL Listed to U.S. and Canadian safety standards

Current #	Description	List Price
1.012-024.0	Sensor XP 12" (300 mm) Upright Vacuum	\$626.00
1.012-027.0	Sensor XP 15" (380 mm) Upright Vacuum	\$780.00
1.012-030.0	Sensor XP 18" (460 mm) Upright Vacuum	\$859.00

Vac Pac:

Portable Back Vacuums includes hose & tool kit



- 6 and 10 quart capacities to accommodate different operators and job requirements
- Ergonomically designed harness system for operator comfort
- 5-piece tool kit included
- Vacuum hose is designed for right or left handed operation
- Cord mounted power switch for operator ease of use
- Optional high-efficiency filter kit filters 99.9% of particles down to 0.3 microns
- UL Listed to U.S. and Canadian safety standards

Order No.	Description	List Price
1.014-007.0	Vac Pac Back Vacuum, 6 qt	\$524.00
1.014-005.0	Vac Pac Back Vacuum, 10 qt	\$559.00



Recover Wet/Dry Vacs:

Versatile wet/dry vacs



- 1.8 hp motor
- Water lift of 80"
- On-board cleaning tools and storage
- Designed for easy mobility
- ETL approved to U.S. and Canadian safety standards

Order No.	Description	List Price
1.428-513.0	Recover 7, 7-gal w/ hose & tool kit	\$349.00
1.428-609.0	Recover 12, 12-gal w/ hose & tool kit	\$421.00
9.840-844.0	Recover 12, 12-gal w/ front mounted squeegee, hose & tool kit	\$762.00

Recover 18 Wet/Dry Vac:

Large capacity for medium to large jobs



- Front-mounted squeegee offers more productive water pick-up
- Unique tank design that results in 100% dumping of solution with no tipping required
- Designed with an easy-access squeegee lift lever
- Easy to use, train, operate
- New design blades self-adjust with factory set automatic adjustment
- Complete with on-board tool storage compartment with safety sign storage

Order No.	Description	List Price
1.013-019.0	Recover 18, 18-gal w/ hose & wand only	\$764.00
1.103-492.0	Recover 18, 18-gal w/ squeegee only	\$899.00
1.013-017.0	Recover 18, 18-gal w/ squeegee, hose & wand	\$969.00

Titan Wet/Dry Vacs: Powerful and durable for commercial and industrial use



- Front mounted squeegee for any application
- Made with strong blow-molded plastic
- 1.5 hp, two-stage motor produces 101 cfm and 87" of waterlift
- Features polyester bag-style filter with optional high efficiency cartridge filter
- Includes 8 ft. hose and 8-piece tool kit with carpet and floor tool, squeegee tool, upholstery tool and crevice tool
- UL Listed to U.S. and Canadian safety standards

Order No.	Description	List Price
1.013-010.0	Titan 720, 20-gal w/ hose & tool kit	\$923.00
8.616-404.0	Titan squeegee kit for 720	\$266.55

Dust Extraction Vacs Nt Series:

With self-cleaning filter system



w/ TACT
Self-Cleaning
Filter
System

- Features TACT (Trigger Air Draft Cleaning Technology) filter system, allowing continuous cleaning without the need to shut the unit down for filter cleaning
- Switch from wet to dry work without swapping filters
- Electronic tank level monitor shuts motor off when full capacity is reached

Order No.	Description	List Price
1.184-854.0	NT 35/1 Eco, 9.2-gal w/ TACT self cleaning filter system	\$674.00
1.145-834.0	NT 45/1 Tact, 12-gal w/ TACT self cleaning filter system	\$825.00
1.325-104.0	NT 65/2 Eco, 17-gal w/ PFC self cleaning filter system	\$1,155.00

Windsor Rental Expert Starter Packages

**FREE
FREIGHT!**
w/ purchase of
either package



Starter Package A

- Chemical Rack & Signage
- (2) Mini Pro 4-gal. Extractor
- (1) Deluxe Hand Tool Kit (accy to Mini Pro)
- (1) Airmover
- All-In-One Cleaner (4 x 1-gallon)
- All-In-One Cleaner (6 x 1/2-gallon)
- All-In-One Cleaner (12 x 1 qt)
- Carpet Cleaner (4 x 1-gallon)
- Carpet Cleaner (6 x 1/2-gallon)
- Carpet Cleaner (12 x 1 qt)
- Defoamer (12 x 1 pt)
- Pre-Spray (12 x 1 qt)
- Odor Remover (12 x 1 pt)
- Pet Stain Remover (12 x 1 qt)
- Spot Remover (12 x 1 pt)
- Upholstery Cleaner (12 x 1 qt)

Order No.	Description	List Price
N/A	Expert Starter Package A	\$5,255.48

Starter Package B

- Chemical Rack & Signage
- (2) Mini Pro 4-gal. Extractor
- (1) Deluxe Hand Tool Kit (accy to Mini Pro)
- (1) Presto 3 Mini Extractor/Spotter
- All-In-One Cleaner (4 x 1-gallon)
- All-In-One Cleaner (6 x 1/2-gallon)
- All-In-One Cleaner (12 x 1 qt)
- Carpet Cleaner (4 x 1-gallon)
- Carpet Cleaner (6 x 1/2-gallon)
- Carpet Cleaner (12 x 1 qt)
- Defoamer (12 x 1 pt)
- Pre-Spray (12 x 1 qt)
- Odor Remover (12 x 1 pt)
- Pet Stain Remover (12 x 1 qt)
- Spot Remover (12 x 1 pt)
- Upholstery Cleaner (12 x 1 qt)

Order No.	Description	List Price
N/A	Expert Starter Package B	\$5,753.32

*Free freight within lower 48 states only.

EXPERT CLEANING CHEMICALS:

- Spot Remover
- Pet Spotter & Deodorizer
- Odor Remover
- High Traffic Pre-Spray
- Upholstery Cleaner
- Defoamer
- All-In-One Carpet Cleaner
- Carpet Cleaner Concentrate

Order No.	Description	List Price
8.695-229.0	Expert All-In-1 Carpet Cleaner (W510), 12 x 1-qt	\$101.00
8.695-230.0	Expert All-In-1 Carpet Cleaner (W510), 4 x 1-gal	\$81.65
8.695-233.0	Expert Carpet Cleaner Concentrated (W520), 12 x 1-qt	\$97.95
8.695-234.0	Expert Carpet Cleaner Concentrated (W520), 4 x 1-gal	\$80.50
8.695-236.0	Expert D-Foamer (W525), 12 x 1-pint	\$87.05
8.695-237.0	Expert Upholstery Cleaner (W530), 12 x 1-qt	102.00
8.695-239.0	Expert Pet Spot & Deodorizer (W540), 12 x 1-pint	\$95.40



Saber Blade 16: Cylindrical Micro Scrubber



- Compact design provides powerful scrubbing in congested areas
- Two counter-rotating brushes with variable cleaning pressure up to 88 lbs
- Two squeegees for pick up in forward and reverse
- 2.5 gallon tanks
- No tool brush removal
- Ergonomic flip handle that folds down for easy storage
- Easy to understand controls

Order No.	Description	List Price
1.783-308.0	Saber Blade 16", cylindrical brush, cord electric	\$3,407.00

Saber Compact 20: Automatic Floor Scrubber

Available in brush/pad assist drive or traction drive



- 20" scrub path
- Rugged construction
- Ergonomic handle and simple controls
- Easy to maintain and service

Traction model includes:

- Transaxle traction drive
- Adjustable pad pressure (from 55 lbs. up to 105 lbs.)
- Solenoid controlled solution valve
- Option of standard or deluxe squeegee
- 45" (1143 mm) turn radius

Order No.	Description	List Price
24V System, Pad Assist, Standard Squeegee, On-Board Battery Charger		
9.840-140.0	2-12V/105 A/H batt, 24V/12A auto charger w/ pad driver	\$6,390.00
9.840-141.0	2-12V/130 A/H batt, 24V/12A auto charger w/ pad driver	\$6,566.00

24V System, Traction Drive, Standard Squeegee, On-Board Battery Charger		
9.840-149.0	2-12V/105 A/H batt, 24V/12A auto charger w/ pad driver	\$7,803.00
9.840-150.0	2-12V/130 A/H batt, 24V/12A auto charger w/ pad driver	\$7,946.00

24V System, Traction Drive, Deluxe Squeegee, On-Board Battery Charger		
9.840-311.0	2-12V/105 A/H batt, 24V/12A auto charger w/ pad driver	\$8,069.00
9.840-314.0	2-12V/130 A/H batt, 24V/12A auto charger w/ pad driver	\$8,250.00

Radius Manual Sweeper



- Dual wheel drive provides continuous main roller sweeping during turns
- 28" cleaning path
- Direct throw sweeping
- 11 gallon (42 ltr.) capacity
- Right side broom

Order No.	Description	List Price
1.517-104.0	Radius Manual, 28" (includes brushes)	\$982.00

Saber Cutter 26: Aqua-Mizer technology increases solution usage efficiency



- 26" and 32" scrub path models
- Outstanding operator visibility
- Fast and simple access to major components, motors, batteries, brushes
- Choice of mechanical lift to raise/lower scrub deck OR an electrical actuator

Order No.	Description	List Price
26" - 24V System, Mechanical Scrub Deck, On-Board Battery Charger		
9.840-161.0	4-6V/250 A/H batt, 24V/25A auto charger w/ pad driver	\$10,268.00
9.840-162.0	4-6V/305 A/H batt, 24V/25A auto charger w/ pad driver	\$10,510.00

26" - 24V System, Actuated Scrub Deck, On-Board Battery Charger		
9.840-207.0	4-6V/250 A/H batt, 24V/25A auto charger w/ pad driver	\$10,981.00
9.840-208.0	4-6V/305 A/H batt, 24V/25A auto charger w/ pad driver	\$11,236.00

32" - 36V System, Mechanical Scrub Deck, On-Board Battery Charger		
9.840-173.0	6-6V/250 A/H batt, 36V/21A auto charger w/ pad driver	\$12,864.00
9.840-171.0	6-6V/312 A/H AGM batt, 36V/25A auto charger w/ pad driver	\$14,718.00

32" - 36V System, Actuated Scrub Deck, On-Board Battery Charger		
9.840-218.0	4-6V/250 A/H batt, 36V/21A auto charger w/ pad driver	\$11,678.00
9.840-219.0	4-6V/305 A/H batt, 36V/21A auto charger w/ pad driver	\$11,953.00

FLOOR MACHINES | ALL-SURFACE ORBITAL TREATMENT

NEW! TAZ with Orb technology

All surface cleaning, scrubbing, sanding, polishing, extraction, interim, and grinding machine

The **Taz** is the only all-surface cleaning, scrubbing, sanding, polishing, extraction, interim, and grinding machine in the industry! **It conquers carpet, stone, tile & grout, wood, vinyl, concrete, epoxy, and other surfaces.** The Taz excels at chemical-free stripping, interim carpet encapsulation, tile & grout cleaning and more!

- 1725 rpm
- 17"-21" cleaning path
- Quick change drop-in cylinder holder
- Variable pad pressure with adjustable wheels
- Tilt-back design
- Electric
- Quiet
- Easy operation

Production Rate:

- **Wood:** up to 4,000 ft²/hr
- **Stone:** up to 120 ft²/hr
- **Tile & Grout:** varies on condition

TAZ cleans and treats a variety of surfaces



Ergonomic hand grips:
to rest hands, prevent fatigue
and increase productivity

Spray switch:
manual control of
water amount

On-off switch:
does not
need to be
held

**Removeable 3-gallon
cleaning solutions:**
can be switched quickly,
saving time

**Adjustable
frame:**
for individual
height
adjustments

Motor:
1400W, 120-240V/
50-60Hz, 6-11A,
1725 rpm

Adjustable spray jets:
for improved productivity
and even solution
coverage

**10-inch
wheels:**
chemical
resistant and
non-marking

Handle:
to lift and
lower base

Base:
is free-floating

Bumper:
protects walls and obstacles



Weight set:
for sanding
and grinding



**Weights installed
on base:**
Weights are included
with machine

Order No.	Description	List Price
9.841-232.0	TAZ machine (w/o solution tank)	\$3,596.00
9.841-231.0	TAZ DELUXE machine (w/ solution tank)	\$4,453.00
8.637-471.0	Weight Kit	(Weight kit included at no charge)

FOR TILE, CONCRETE & GROUT - Order these Accessories

8.637-468.0	Scrub Brush	\$406.39
-------------	-------------	----------

FOR CHEMICAL-FREE STRIPPING - Order these Accessories

8.637-467.0	Chemical-Free Stripping Pad (5 pk)	\$147.98
-------------	------------------------------------	----------

**Stone Care and Wood Care
Accessories Coming Soon!**

Lightning 1500: High-Speed Burnisher



- 1500 rpm
- 20" cleaning path (710 mm)
- Great balance, easy to handle
- 1.75 hp DC motor for fast shine
- Low profile design
- Dual-lever switches, adjustable handle
- Flexible pad driver

Order No.	Description	List Price
1.009-016.0	Lightning 1500 Burnisher	\$1,421.00

Lightning Propane: Fast, Consistent Burnishing



- 2000 rpm
- 24" and 27" cleaning path models
- 17 hp propane engine
- Automotive-grade catalytic mufflers
- EPA certified low emission fuel system
- Quick change drop-in cylinder holder
- Variable pad pressure w/ adjustable wheels
- Tilt-back design

Order No.	Description	List Price
1.022-322.0	Lightning 24" Propane Burnisher	\$5,002.00
1.022-323.0	Lightning 27" Propane Burnisher	\$5,108.00

Lightning 2000: Ultra High-Speed Burnisher



- 2000 rpm
- 20" cleaning path (710 mm)
- 1.5 hp direct-drive motor
- Low profile design
- Dual-lever switches, floating handle
- Flexible pad driver
- Dust control eliminates follow-up mopping
- Durable all metal design

Order No.	Description	List Price
1.009-019.0	Lightning 2000 Burnisher	\$1,686.00

Bolt Series: Easy-To-Use Floor Machines



- 66 frame, AC motor for longer machine life on BP 13, BP 17, and BP 20X
- Dual capacitors for easy start-up and smoother operation
- Rugged cast aluminum base with full protective bumper
- All-steel Triple Planetary gear transmission for longer life
- Sure grip handle height adjustment
- Durable cast aluminum switch housing
- Safety switch prevents accidental start-up
- UL Listed to U.S. and Canadian safety standards

Order No.	Description	List Price
1.009-084.0	Bolt 13", 175 rpm, 1.0 hp, w/ pad driver	\$915.97
1.009-082.0	Bolt 17", 175 rpm, 1.5 hp, w/ pad driver	\$914.68
1.009-087.0	Bolt 20", 175 rpm, 1.5 hp, w/ pad driver	\$966.64
1.009-089.0	Bolt Dual Speed 20", 175/300 rpm w/ high speed pad driver	\$1,396.85

Applications for Floor Machines and Burnishers:

- Grocery Stores
- Shopping Malls
- Municipalities
- Schools
- Hospitals
- Hotels

SWEEPERS | INDUSTRIAL

Cold Water PW

Hot Water PW

Trailers

Jetters

Accessories

Restoration

Floor Care

Water Treatment

Wash Pads

KM 85/50 W Bp Adv: 34" Walk-Behind Sweeper Compact, maneuverable, and ruggedly built



- Capable of sweeping up to 100,000 sq. ft. of floor per battery charge
- Ideal for facilities with a mixture of congested areas and open spaces
- Overthrow sweeping technology - fills container to nearly 100% capacity
- Durable industrial design

Order No.	Description	List Price
9.840-758.0	24V Walk Behind Sweeper. Includes (2) 105 a/h batteries & charger, main broom & side broom	\$8,867.00
9.840-760.0	24V Walk Behind Sweeper. Includes (2) 100 a/h AGM batteries & charger, main broom & side broom	\$9,128.00

KM 100/100 R Bp: 40" Electric Ride-On Sweeper For large outdoor or indoor areas



- Ease-of-use features: adjustable seat, large wheels, and power steering
- Two sweeper containers
- Large 99.5% efficient cylindrical filter is automatically cleaned after every use
- Self-adjusting floating main broom
- Variable speed forward and reverse

Order No.	Description	List Price
9.840-761.0	24V Ride-On Sweeper w/ 260 a/h batteries, battery tray, charger, cable adapter, main & side brooms	\$16,458.00
9.840-762.0	24V Ride-On Sweeper w/ 312 a/h AGM batteries, charger, battery tray, cable adapter, main & side brooms	\$19,137.00

Applications for Industrial Sweepers:

- Warehouses
- Stadiums
- Municipalities
- Schools
- Convention Centers

KM 120/150 R BP: 48" Hydraulic Dump Ride-On Sweeper



- Capable of sweeping over 93,000 sq. ft. per hour
- 39.6-gal capacity hopper
- Overthrow sweeping technology - fills container to nearly 100% capacity
- 24v battery operated system with no petrol fumes.

Order No.	Description	List Price
9.840-891.0	BP Ride-On Sweeper w/ main broom, side broom, battery tray, & cable adapter. Does not include charger cables or battery.	\$30,082.00
9.840-763.0	BP Ride-On Sweeper w/ 360 a/h batteries, main and side broom, battery tray, & cable adapter.	\$31,771.00
9.840-764.0	BP Ride-On Sweeper w/ 312 a/h AGM batteries, main and side broom, battery tray, & cable adapter.	\$32,384.00
9.841-128.0	BP Model (2 side brushes) Ride-On Sweeper	\$34,912.00
9.841-129.0	BP Model (2 side brushes) Ride-On Sweeper w/ 312 a/h AGM batteries, main and side broom, battery tray, & cable adapter.	\$35,581.00
9.841-127.0	LPG Model (2 side brushes) Ride-On Sweeper	\$35,339.00
9.840-859.0	LPG Model Ride-On Sweeper	\$32,249.00



BD 80/120W: 32-Gallon, 32" Walk-Behind Scrubber

Our largest, most powerful walk-behind scrubber/drier



- Aqua-Mizer technology uses less water and detergent
- Variable down pressure
- 23-gal solution / 25-gal recovery tanks
- Continuous heavy-duty cleaning up to 3-hours
- Available in cylindrical brush models or pad driver models

Applications for Industrial Scrubbers:

- Businesses
- Municipalities
- Warehouses
- Schools
- Construction

Order No.	Description	List Price
Cylindrical Brush Models		
9.840-732.0	BD 80/120 w/ 2 midgrit brushes & squeegee. Does NOT include batteries, cables or battery charger.	\$11,671.00
9.840-733.0	BD 80/120 w/ 2 midgrit brushes, squeegee, 260 a/h batteries, cables & battery charger	\$12,873.00
9.840-734.0	BD 80/120 w/ 2 midgrit brushes, squeegee, 330 a/h batteries, cables & battery charger	\$13,534.00
9.840-735.0	BD 80/120 w/ 2 midgrit brushes, squeegee, 335 a/h batteries, cables & battery charger	\$13,813.00
9.840-736.0	BD 80/120 w/ 2 midgrit brushes, squeegee, 312 a/h AGM batteries, cables & battery charger	\$14,534.00

Order No.	Description	List Price
Pad Driver Models		
9.840-822.0	BD 80/120 w/ 2 pad holders & squeegee. Does NOT include batteries, cables or battery charger.	\$11,671.00
9.840-823.0	BD 80/120 w/ 2 pad holders, squeegee, 260 a/h batteries, battery tray, cables & battery charger	\$12,873.00
9.840-824.0	BD 80/120 w/ 2 pad holders, squeegee, 330 a/h batteries, battery tray, cables & battery charger	\$13,534.00
9.840-825.0	BD 80/120 w/ 2 pad holders, squeegee, 335 a/h batteries, battery tray, cables & battery charger	\$13,813.00
9.840-826.0	BD 80/120 w/ 2 pad holders, squeegee, 312 a/h AGM batteries, battery tray, cables & battery charger	\$14,534.00



Wash Pads: Cost-effective chemical water treatment system

Our above ground containment rack systems makes shipping and installing a wash rack easier than ever. With no permitting required, this bolt together system can be installed in a matter of hours.

The low profile modular design with a maximum deck height of 6 inches (15.24 cm) can be purchased in various sizes and configurations to meet your current site requirements. The modular design also allows for shipping under LTL freight rates, or inside of an ocean cargo container for export purposes.

Features:

- Multiple ramp options available, including Drive-On / Back Off or Drive-Through
- Available in 9' wide and 18' wide models
- Diamond plate deck surface
- Deck height 6"


DRIVE-ON / BACK-OFF CONFIGURATION (18 FEET WIDE MODEL)




SHOWN W/ OPTIONAL CANOPY



DRIVE-THROUGH CONFIGURATION (18 FEET WIDE MODEL)



CONVEYOR OPTION
(FOR 18 FT. WIDE OR GREATER CONTAINMENT RACKS)



****** Many models and options available ******
Call for details

Cold Water PW

Hot Water PW

Trailers

Jetters

Accessories

Restoration

Floor Care

Water Treatment

Wash Pads



SHARK
Cleaning Equipment

TEL **800.771.1881**

FAX **877.526.3246**

www.SharkPW.com
sales@sharkpw.com

EFFECTIVE JANUARY 1, 2015